

Revised 1 July 2023



# The CarbonNeutral Protocol 2023

The global standard for carbon neutral programmes



Climate Impact Partners works with and supports the following internationally recognised bodies:




Cover photo

Community Reforestation, Ghana: The project is restoring degraded forest reserves in Ghanaian riparian buffer zones, following the principles and criteria of the Forest Stewardship Council (FSC)

# Table of Contents

<b>Preface</b> .....	<b>4</b>	2.5 Aviation.....	44
The CarbonNeutral Protocol:		2.5.1 Calculating the climate impact of aviation .....	44
A framework for Climate Responsibility .....	5	2.5.2 Determining aviation emissions from	
Introducing The CarbonNeutral Protocol 2023 .....	8	flight distances.....	46
Purpose.....	8	2.6 Materials consumption and waste .....	47
Principles .....	8	2.6.1 Treatment of recycled waste -	
Structure of The CarbonNeutral Protocol.....	9	substitution within GHG assessments .....	47
Development of The CarbonNeutral Protocol .....	9	2.6.2 Water consumption and waste water treatment.....	47
Relationship to other standards,		2.7 How to report GHG emissions from carbon neutral	
protocols and broader context.....	10	services within a corporate GHG inventory .....	48
About Climate Impact Partners.....	10	2.8 Using environmental product declarations (EPDs)	
Acknowledgements.....	10	for CarbonNeutral® products .....	49
Use, legal disclaimer and copyright .....	10		
Awards.....	12	<b>Step 3: Target</b> .....	<b>53</b>
		Technical Specifications	
<b>Core Requirements</b> .....	<b>14</b>	3.1 Approved emission reduction strategies	
The Five Steps to Achieving CarbonNeutral® Certification ...	15	and/or targets.....	53
Step 1: Define .....	16	3.2 CarbonNeutral® Certification -	
Step 2: Measure.....	17	Target and Reduce Form.....	54
Step 3: Target .....	18	Guidance	
Step 4: Reduce .....	19	3.3 Setting internal reduction targets .....	55
Step 5: Communicate .....	21	3.4 Net zero targets .....	55
		3.5 Climate (or carbon, or net) positive.....	57
<b>Technical Specifications and Guidance</b> .....	<b>22</b>		
<b>Step 1: Define</b> .....	<b>23</b>	<b>Step 4: Reduce</b> .....	<b>59</b>
Technical Specifications		Technical Specifications	
1.1 Required GHG Emissions Sources .....	23	4.1 Approved Environmental Instrument Standards.....	59
1.2 Certification specific requirements .....	27	4.1.1 Carbon credits.....	59
Guidance		4.1.2 Approved Energy Attribute	
1.3 Corporate value chain (Scope 3)		Certificates (EAC) standards.....	60
accounting and reporting.....	29	4.2 Recognised non-carbon accounting standards.....	61
1.4 Product-type certifications.....	31	Guidance	
1.5 Treatment of assets rented or leased to		4.3 Evaluating internal GHG reduction projects.....	62
customers of CarbonNeutral® entities.....	32	4.4 Elaboration on additionality and baselines.....	64
		4.5 The use of carbon credits generated by projects	
<b>Step 2: Measure</b> .....	<b>34</b>	which avoid, reduce and remove GHGs .....	64
Technical Specifications		4.6 Insetting .....	65
2.1 GHG Emissions Quantification Requirements.....	34	4.7 Excluded emission reduction project types .....	65
2.2 GHG emissions assessments .....	35	4.8 Corresponding Adjustments (CAs) .....	66
Guidance			
2.3 Quality assurance and verification .....	37	<b>Step 5: Communicate</b> .....	<b>68</b>
2.4 Energy use (gas and electricity).....	39	Technical Specifications	
2.4.1 Treatment of renewable electricity		5.1 Use of the CarbonNeutral Certification logo.....	68
in Scope 2 emissions .....	39	Guidance	
2.4.2 Treatment of Energy Attribute Certificates (EAC)		5.2 Communicating CarbonNeutral certification.....	69
in Scope 3 emissions .....	41	5.3 Communicating 100% renewable electricity.....	69
2.4.3 Market-based Scope 2 reporting declaration		5.4 Recommended disclosures and communication.....	69
to support CarbonNeutral® certification.....	42		
2.4.4 Energy Attribute Certificate (EAC) Application		<b>Glossary of Terms</b> .....	<b>71</b>
Protocol for third-party assessment partners.....	43		
2.4.5 How to report GHG emissions		<b>Reference Material</b> .....	<b>81</b>
from green gas certificates.....	43		



Sichuan Household Biodigester, China:  
Carbon finance improves the quality  
of rural homes by converting animal  
waste to clean energy source

# The CarbonNeutral Protocol: A framework for Climate Responsibility

For over two decades, The CarbonNeutral Protocol has played a critical role in enabling organisations to make clear and credible claims about their climate strategies and programmes. The Protocol provides valued guidance to organisations navigating the complicated and rapidly evolving landscape of voluntary climate action and it provides a certification logo to demonstrate when that guidance is adopted.

The Protocol was developed to ensure that corporates taking action ahead of and beyond regulatory requirements are able to report those in a way that rewards their ambition to go beyond threshold requirements. This 2023 version of The CarbonNeutral Protocol continues our process of annual revisions to embrace and promote evolving best practice, and was further updated in July 2023.

## 2022's inflection points

This past year has seen a number of significant initiatives emerge to shape voluntary action, carbon neutrality in particular, and which are set to play out during and beyond 2023.

## Climate science evidenced by extreme weather

Climate science has been updated with recent reports under the Intergovernmental Panel on Climate Change's (IPCC) Sixth Assessment programme. They deliver strengthening evidence of climate change impacts and clear guidance on the urgent need for mitigation and adaptation. The headline message is that there is a greater than 50% probability that temperatures will rise above the 1.5°C target now recognised in the Paris Agreement. This has brought voluntary action into the limelight as a welcome and necessary complement to the slowly evolving compliance regimes under the Paris Agreement.

## UNFCCC expands focus from mitigation to loss & damage

The development of an effective global policy response under the Paris Agreement is still very much a work in progress. Collectively, Nationally Determined Contributions (NDCs) fall way short of solid targets, plans and processes to meet the mitigation levels that will secure a stable climate. Paradoxically, COP27's major achievement was the establishment of a Loss and Damage facility – a clear signal that because of inadequate mitigation, attention is expanding to adaptation and assistance to those nations that are already suffering from extreme weather.

## COP27 makes space for voluntary action

Slow progress was made at COP27 with respect to collaborative efforts under the Paris Agreement's Article 6 to deliver GHG reductions at scale through market and non-market-based mechanisms. In the continuing absence of a global carbon market to assist nations in their effort to fund and deliver GHG reductions, COP27 recognised the importance of the

Voluntary Carbon Market which serves non-state actors taking voluntary action. It does so under the provisions of Article 6.4 which now distinguish between mitigation outcomes delivered by nations that help a specific country meet its NDC; and those which are funded by non-state actors to assist a country meet or exceed its NDC and to support their own climate claims.

These are respectively termed 'Authorized Emission Reductions' (AERs) and 'Mitigation Contribution Emission Reductions' (MCERs). AERs are subject to double book-keeping accounting so that emission reductions are not claimed twice. That is ensured through Corresponding Adjustments made to relevant country NDCs. MCERs are not subject to Corresponding Adjustments because non-state actors do not fall directly under the accounting framework of the Paris Agreement and so no double-counting occurs. This is always the case provided the non-state actor does not use the MCERs to comply with its national emission reduction regulations.



**Solar Water Heating, India:**  
Carbon finance enables the use of solar technology to meet the energy needs of a growing population while promoting low carbon development

As these policy developments take shape, there is a debate about whether claims of neutrality can be made using MCERs; or, whether AERs must be used if double claiming by the host country and the funding entity is to be avoided. For the present, this debate is moot because the modalities of applying Corresponding Adjustments are yet to be agreed. They are unlikely to be in place before 2024.

**Stakeholders laser in on quality and integrity**

The rising importance of scaling voluntary action across non-state actors is now the focus of a number of stakeholder-led initiatives to define quality and integrity across the carbon markets that serve voluntary action – as well as setting benchmarks for the ambition and integrity of those taking voluntary action and making claims about their climate responses.

The *Integrity Council for the Voluntary Carbon Market (IC-VCM)* is a multi-stakeholder initiative first established by former Governor of the Bank of England in 2020 as the *Taskforce for Scaling the Voluntary Carbon Market (TSVCM)*. The IC-VCM published the *Core Carbon Principles (CCPs)* and *Assessments Framework (AF)* and *Assessment Procedure* in March 2023, which aim to set new threshold standards for high-quality carbon credits to be traded in a commoditised carbon market serving the requirements of both compliance and voluntary actors. In the second half of 2023, the IC-VCM is expected to publish a credit-level assessment framework, after which an initial assessment period will commence.

The Voluntary Carbon Market Integrity Initiative (VCMI) is a multi-stakeholder civil society initiative, supported by environmental NGOs and non-profit foundations with a complementary focus on the integrity of voluntary action. It is consulting on provisional guidance for ‘unimpeachable claims’ to support voluntary action; and, has a further objective to clarify the inter-dependence between voluntary action, national climate priorities and the Paris Agreement.

In June 2022, the VCMI released its provisional “Claims Code of Practice” for consultation. VCMI’s rationale for introducing the Code is to ensure claims of neutrality can only be made when a detailed plan is in place to abate emissions over the medium to long term. Subsequently, in June 2023 the VCMI launched its operable Claims Code with additional guidance to be released in later 2023.

As both the VCMI and IC-VCM intend to bring further guidance and clarity in the second half of 2023, this will be reviewed as part of the annual revisions to The CarbonNeutral Protocol to be published early 2024.

In 2022, the Science Based Targets Initiative (SBTi) highlighted the importance and urgency of organisations going beyond corporate net-zero with contributions to societal net-zero with Beyond Value Chain Mitigation (BVCM); SBTi’s Net-Zero Standard states that “companies should go further and invest in mitigation outside their value chains now to contribute towards reaching societal net-zero”. Importantly, in its latest blogs, SBTi emphasises that BVCM includes but is not limited to carbon removals and highlights the importance of activities that avoid or reduce



Rimba Raya Biodiversity Reserve REDD+, Indonesia: The project has established a scholarship fund to enhance educational access and provide writing books

GHG emissions from the atmosphere such as forest, peatland and mangrove conservation; improvement to energy efficiency through cookstove projects; and transition to renewable energy through new infrastructure. SBTi will publish its more detailed guidance on BVCM in 2023.

The International Standards Organisation (ISO) has two relevant standard setting initiatives under way. Its ISO 14068 standard for carbon neutrality has been under development for more than two years and is now in the final consultation stages. It is expected to be published towards the end of 2023 or early 2024.

In parallel, ISO used COP27 to launch its speedily compiled International Working Group Agreement on Net Zero Guidelines (IWA 42:2022). IWAs respond to urgent market requirements and are prepared through a workshop mechanism outside of ISO committee structures. They seek to engage the broadest range of relevant interested parties in the development of internationally recognised guidance that subsequently could become a fully-fledged ISO standard.

Also launched at COP27 was a report from the United Nations' High-level Expert Group on the Net Zero Emission Commitments of Non-state Entities entitled: "Integrity Matters: Net Zero Commitments by Business, Financial Institutions, Cities and Regions". It highlights five principles by which credible net zero goals and targets may be made and these are accompanied by ten recommendations to prevent net zero from being undermined by false claims, ambiguity and 'greenwashing'.

The five principles are:

1. Ambition which delivers significant near – and medium – term emissions reductions on a path to global net zero by 2050
2. Demonstrated integrity by aligning commitments with actions and investments
3. Radical transparency in sharing relevant, non-competitive, comparable data on plans and progress
4. Established credibility through plans based in science and third-party accountability
5. Demonstrable commitment to both equity and justice in all actions

In the round, these initiatives seek to ensure that voluntary action is based on clear and broadly accepted principles of quality and integrity; that they are aligned with the ambitions of the Paris Agreement; and, that commitments lead to delivery of verified impact against scientifically informed climate targets.

In certain jurisdictions they are being backed up by regulatory requirements.

In March 2022, the EU Commission submitted a proposal for a Directive on Empowering Consumers for the Green Transition, and subsequently in March 2023 its proposal for the Green Claims Directive. Both proposed Directives aim to set clearer requirements and standards that organisations must meet where making carbon neutral or similar claims, as well as improve transparency and understandability of communication for consumers. Each proposal will undergo a trilogue between the EU Commission, Parliament and Council to reach a provisional agreement. Following these negotiations it is expected to be two years thereafter before the agreed Directive comes into effect.

In 2022, The US Securities and Exchange Commission (SEC) proposed new climate-related disclosure requirements requiring public companies to provide certain climate-related financial data, and greenhouse gas emissions insights, in public disclosure filings.

Countries are also adopting their own regulatory requirements. For example, from 1 January 2023, French law prohibits the marketing of a product as "carbon neutral" without being able to back up claims with data and proof of appropriate compensation in favour of the environment, as well as publicly available internal abatement strategies.

These regulatory developments are being spurred on by an increasing number of climate litigation cases in the US and Europe. These generally make the connection between ongoing public debates about the contribution that individuals' consumer and lifestyle choices can make to reducing emissions and widespread concern that industry misinformation and inaction may prevent such choices from making a real difference.

### Navigating the changing landscape for voluntary action

We enter 2023 with a significant number of quality and integrity initiatives set to reshape voluntary action in the year ahead. With most of these currently 'work in progress', we intend to keep the Protocol under close review in the year ahead with the intention of adopting new guidance that will keep it at the leading edge of best practice.

To navigate the 'rapids' of an evolving landscape, we have expanded our normal consultation of users of The CarbonNeutral Protocol through a planned series of broader dialogues. As we prepare for further guidance from the upcoming ISO 14068 standard for carbon neutrality and the VCMI, alongside proposed legislation, we continue the development of The CarbonNeutral Protocol to meet increasing standards and ensure it continues to deliver value through high integrity claims. Whilst progress in the first half of 2023 has not been as rapid as expected, the direction of change has become clearer.

The principles underpinning the Protocol (see below) will remain our 'North Star' and will ensure that the Protocol continues to provide pragmatic and accessible guidance that enables organisations to make impactful progress on their climate responsibilities and receive due recognition for doing so.



**Bondhu Chula Cookstoves, Bangladesh:** The Bondhu Chula stove is designed to ensure more efficient and cleaner home cooking, working with micro-entrepreneurs who receive training in stove production, sales and marketing and after-sales service

# Introducing **The CarbonNeutral Protocol 2023**

We are pleased to present this 2023 edition of The CarbonNeutral Protocol. First developed and published in 2002, the Protocol is revised and updated annually to reflect developments in climate science, international policy, standards and business practice. It is an open source standard and guide developed for business by business that draws together leading independent standards for greenhouse gas accounting into a practical guide to carbon neutrality.

It underpins CarbonNeutral® certifications awarded by Climate Impact Partners to recognise carbon neutral organisations, products and activities, and provides a detailed framework for the design and implementation of credible carbon neutral programmes.

## Purpose

The CarbonNeutral Protocol is designed for:

- **Businesses and organisations** – To understand what is required to develop a credible carbon neutral programme and to achieve CarbonNeutral® certification
- **Technical partners** – To ensure Climate Impact Partners’ technical partners (e.g. GHG assessors) understand what is required of them so that their services are consistent with the requirements of each CarbonNeutral® certification

- **The wider “Climate Action Community”** – To encourage partnerships amongst business, NGOs, policy-makers, regulators and civil society to promote high standards for carbon accounting and the offsetting of greenhouse gas emissions

The CarbonNeutral Protocol has been developed as a set of requirements to provide businesses with a single-source guide to make credible, transparent claims anywhere in the world. As third-party standards are developed, The CarbonNeutral Protocol aims to provide a framework which builds upon the best guidance in the market and offers a unifying process for making carbon neutral claims that are recognised internationally.

## Principles

Three principles are the foundation for CarbonNeutral certifications:

### 1. Promote immediate action to support deeper and widespread transformation

Carbon neutrality is the action taken immediately by an entity to fully compensate for the global warming impact from its greenhouse gas emissions. Transformation to a sustainable and resilient net zero economy is accelerated by carbon neutrality as entities act ahead of and beyond regulation. Carbon neutral entities reduce emissions under their direct control and enable

mitigation activities elsewhere that require finance to deliver mitigation in line with the UNFCCC's goals and contribute to the UN's Sustainable Development Goals.

### 2. Built on conservative estimation, best practice, transparency and continuous improvement

Entities use the CarbonNeutral® logo as a credible marker of best practice when communicating their voluntary climate action to key stakeholders. Entities commit to disclosing the basis of their claims – including the GHG emission inventories, management processes, methodologies, standards and protocols that deliver carbon neutrality in accordance with the requirements of The CarbonNeutral Protocol – and accept that these requirements may change to align with emerging best practice.

### 3. Committed to pragmatism and impact

Achieving carbon neutrality is an actionable, understandable and pragmatic response that can be adopted by any entity to meet its climate objectives and play a meaningful role in driving the transition to net zero across the global economy. The CarbonNeutral certification logo enables entities to communicate their commitment to carbon neutrality to key stakeholders so they may be recognised and rewarded for their progressive action.

These principles guide the development and application of the Protocol, particularly when the application of the Protocol's requirements to specific issues or situations is ambiguous or unclear. When specific circumstances arise where the application of the Protocol's requirements would not align with the intent of the principles, Climate Impact Partners reserves the right to amend the requirements of the Protocol to ensure the integrity of the certification.

### Structure of The CarbonNeutral Protocol

High-level requirements for achieving CarbonNeutral® certification are set out in the Core Requirements section of this document. More detailed requirements are set out in the Technical Specifications that follow it. Detailed advice and clarification on selected topics can be found in the subsequent Guidance.

The term “must” is used in this document to indicate a requirement of the Protocol. The term “must not” indicates prohibited actions. The term “should” is used to indicate a recommendation, but not a requirement.

### Development of The CarbonNeutral Protocol

The CarbonNeutral Protocol undergoes an annual development cycle which involves input from multiple stakeholders.

Climate Impact Partners' Advisory Council<sup>1</sup> is consulted on development priorities within the annual revision cycle. In addition, we consult with certified companies, our assessment partners and other sustainability leaders and environmental NGOs. We will seek to further deepen this consultation ahead of the 2024 edition.

Climate Impact Partners also invites and encourages input from clients and others with an interest in carbon neutrality. Suggestions for development priorities for subsequent versions of The CarbonNeutral Protocol should be sent to Climate Impact Partners at [info@climateimpact.com](mailto:info@climateimpact.com).

Based upon our experience and understanding of changing client needs, developments in the market for climate solutions and guidance from our Advisory Council, material changes to The CarbonNeutral Protocol in this 2023 version include:

- **Updated** requirement for internal abatement strategies and/or targets for entities with annual footprints over a certain size to introduce an annual reduction to the current 100,000 tCO<sub>2</sub>e threshold annually from 2024. (**Core Requirement 3** and **Technical Specification 3.1**)
- **Updated** product (excluding...) certification, previously named 'product (not including use)' (**Table 4** and **Guidance 1.4**)
- **Updated** guidance on corresponding adjustments under the Paris Agreement (**Guidance 4.8**)
- **Updated** Approved Environmental Instrument Standards (**Table 18** and **Guidance 4.1**)
- **Updated** guidance on net zero targets (**Guidance 3.4**)
- **Updated** guidance about communications of GHG inventory metrics (**Core Requirement 5**)

Further revisions to The CarbonNeutral Protocol 2023 were made in July 2023 and include:

- **Updated** categorisation of upstream and downstream emissions from transportation and distribution, to better align with The GHG Protocol Corporate Value Chain (Scope 3) Standard. (**Table 3**)
- **Updated** guidance for the treatment of emissions for aviation and removal of the requirement of an Aviation Impact Factor. (**Technical specification 2.5**)
- Further updates to Approved Environmental Instrument Standards (**Table 18** and **Guidance 4.1**)

<sup>1</sup> [www.carbonneutral.com/who-we-are/advisory-members](http://www.carbonneutral.com/who-we-are/advisory-members).

### Relationship to other standards, protocols and broader context

The Protocol incorporates best practices in the areas of measurement and monitoring of GHG emissions and the design and certification of emission mitigation projects. Concerning GHG measurement, the Protocol is aligned with the GHG Protocol Corporate Standard (including the separate Guidance on Scope 2 and 3 accounting), the GHG Protocol Product Standard, ISO standards for Life Cycle Assessment and Carbon Footprinting and the principles of the BSI PAS 2050 standard for products and services.

The Protocol is both influenced by and contributes to the evolution of other relevant standards, including but not limited to: ICROA's Code of Best Practice; ISO's new project to define carbon neutrality; and the Science Based Targets initiative's (SBTi) Corporate Net-Zero Standard. These are critical to the Protocol's evolution and the Protocol's experience of being used as a framework for climate action around the world makes it a key point of reference. In 2023, we expect that the Voluntary Carbon Market Integrity Initiative (VCMI) and the Integrity Council for the Voluntary Carbon Market (also known as the Carney Taskforce for Scaling the Voluntary Carbon Market) will develop further guidance relevant to the application of The CarbonNeutral Protocol.

The Protocol recognises the importance of taking action that is appropriate and proportionate to the range and scale of a client's sustainability impacts. CarbonNeutral® certifications by definition are focused on climate impacts. However, clients should assess their material environmental, social, and economic impacts and take action appropriate to related impacts. Clients should use internationally recognised management standards, appropriate to the scale of their impacts, to identify and manage their key impacts. Such management standards include but are not limited to the ISO 14000 and ISO 9000 series.

### About Climate Impact Partners

Climate Impact Partners is a leader in developing and delivering high-quality, high-impact carbon market solutions for climate action.

For more than 20 years, the company, which is committed to delivering 1 billion tonnes of CO<sub>2</sub> reductions by 2030, has worked with climate-leading businesses to support more than 600 carbon removal and reduction projects in 56 countries.

With a focus on helping to transform the global economy, improve health and livelihoods, and restore a thriving planet, Climate Impact Partners develops and delivers the highest quality carbon-financed projects. It creates and manages carbon credit and energy attribute certificate portfolios that enable its clients to offset emissions they can't yet reduce, put a price on carbon to incentivise change, and meet ambitious climate goals. Climate Impact Partners builds on the expertise, integrity, and innovation of two companies that have led the voluntary carbon market – Natural Capital Partners and ClimateCare. Learn more at [www.climateimpact.com](http://www.climateimpact.com).

The CarbonNeutral Protocol is one of the services provided by Climate Impact Partners.

### Acknowledgements

Climate Impact Partners is solely responsible for the development and deployment of The CarbonNeutral Protocol as an open access standard. However, we wish to acknowledge and thank our clients, members of our Advisory Council, and the many organisations and individuals that have encouraged, supported and shared their expertise with us during the development of the Protocol since it was first launched in 2002. We could not have done our work without their invaluable help.

### Use, legal disclaimer and copyright

The CarbonNeutral Protocol should be applied in conjunction with relevant terms and conditions on the use of logos, marks and trademarks owned by Climate Impact Partners, as specified in contracts with Climate Impact Partners.

CarbonNeutral® certifications made in accordance with previous versions of The CarbonNeutral Protocol are not retroactively affected by subsequent changes to The CarbonNeutral Protocol. In practice, this means that the version of The CarbonNeutral Protocol applicable to a certification is the version as of the date when the contract for certification of the relevant subject is signed.

Where mid-year revisions are made to The CarbonNeutral Protocol, organisations with a contract signed prior to that date are encouraged to apply the revised version, however this is not required.

Following publication of a new version of The CarbonNeutral Protocol, a grace period is permitted for organisations which hold active CarbonNeutral certification, to adapt to new requirements.

The grace period allows for a deferral in incorporating any new requirements introduced in the latest revision to The CarbonNeutral Protocol until the next renewal date of the certification period. The grace period extends until the publication of the subsequent version of The CarbonNeutral Protocol, which is approximately 12 months, and can be applied to certification renewals that begin within this period of time.

Where an organisation has been awarded a certification type which does not have a defined period and expiry, such as a CarbonNeutral event, the grace period is permitted where a certification of the same type was awarded within the 12 months prior to the publication of the current version of The CarbonNeutral Protocol.

All organisations are highly encouraged to adopt new requirements immediately, where they are able to do so.


Scheduled changes which have been published and communicated in previous versions of The CarbonNeutral Protocol may not be deferred. For example the annual reduction to the company footprint threshold above which an external abatement strategy is required (see **Table 16**). This restriction is in place because the intention of the grace period is solely to allow organisations to adapt to previously unknown changes to The CarbonNeutral Protocol and should not be used merely to delay action.

CarbonNeutral® is the registered trademark of Climate Impact Partners. The copyright notice displayed in this document indicates when the document was last issued.

© Climate Impact Partners 2023.

**Table 1: Illustrative Examples of the Application of the Grace Period**

Company	Action
A	Signed its CarbonNeutral company certification contract, with a certification period of 1 July 2022 to 30 June 2023. As of the publication date of the CarbonNeutral Protocol 2023, the certification was in place and current. When Company A renews its CarbonNeutral company certification on 1 July 2023, it is permitted to delay adoption of new requirements until the subsequent certification period, beginning 1 July 2024.
B	Wishes to obtain CarbonNeutral company certification for the first time in March 2023. As Company B does not have active company certification, it must meet the requirements of The CarbonNeutral Protocol 2023.
C	Signed its CarbonNeutral event certification in 2022. In 2023, Company C elects to continue its programme to certify its events. As Company C was awarded CarbonNeutral event certification in the 12 months prior to the publication of The CarbonNeutral Protocol 2023, it is permitted to delay adoption of new requirements until the publication of The CarbonNeutral Protocol 2024.
D	Wishes to certify one of its products as CarbonNeutral for the first time. The grace period is not available to this certification as it is a new certification type for the organisation.



**Solar Energy and Mobile Payment, East Africa:** The use of the solar lighting systems enables households to switch from high-cost, polluting kerosene to affordable, safe, off-grid renewable solar power

© M-KOPA Solar

## Awards

Climate Impact Partners has been recognised in Environmental Finance's Voluntary Carbon Market Rankings every year since 2011, including the Best Offset Retailer, Best Advisory Service, and Best Project Developer awards in that time.

Certified



Corporation



Gyapa Efficient Cookstoves, Ghana: Training local potters and metalworkers to create more efficient cookstoves that improve health and reduce emissions



# SKY PLC BUILDS BUSINESS REPUTATION WITH CARBONNEUTRAL<sup>®</sup> COMPANY, PRODUCT AND PRODUCTION CERTIFICATIONS


**DEFINE:** CarbonNeutral<sup>®</sup> company first certified in 2006, all its original productions CarbonNeutral<sup>®</sup> production in 2019, Sky Glass a CarbonNeutral<sup>®</sup> product in 2021

**MEASURE:** Emissions of its operations and business travel for company certification, total life-cycle emissions of its original productions from inception to broadcast for the production certification and the life-cycle emissions of Sky Glass ranging from its manufacture, energy consumed by viewers and end of life

**TARGET:** Certification is an integral part of Sky's growing reputation for leading environmental action, alongside its target to become net zero by 2030 and a Science-Based Target across its value chain by 2030

**REDUCE:** Verified carbon projects used to offset remaining emissions following internal reduction efforts including investment in on-site renewables. Sky has financed more than 40 emissions reductions projects that build low carbon sustainable development around the world. These have included renewable energy in India and rainforest conservation in Brazil and Indonesia. In addition to offsetting its remaining footprint, Sky is also supporting a reforestation project in Scotland

**COMMUNICATE:** CarbonNeutral certification has formed an integral part of a range of campaigns to build Sky's reputation by being at the forefront of environmental issues, and reinforce its credentials as an industry leader




# CORE REQUIREMENTS

**14Trees Sustainable Building, Malawi:**  
Winner of the Better Society 2021  
Built Environment Award, this project  
makes compressed bricks made of  
local earth, sand, cement and water  
- reducing emissions by avoiding  
the need to fire the bricks

# The Five Steps to Achieving CarbonNeutral® Certification

As illustrated in Figure 1, there are five steps to achieving CarbonNeutral® certification. These five steps are mandatory for all classes of certification. While these steps are set out sequentially, they may be carried out in parallel.

Figure 1: Five Steps to Achieving CarbonNeutral® Certification



# Step 1: Define

---

The first step is to clearly define the subject that will be certified CarbonNeutral®. The subject is the entity, product or activity being certified CarbonNeutral® and may be distinct from the client.

---

## Requirements/recommendations

The subject to which The CarbonNeutral Protocol is being applied must be clearly defined, by name and by description of the relevant legal and/or physical boundaries. The duration of a CarbonNeutral® certification must also be defined with a start and end date applicable to the award of the certification.

The CarbonNeutral® certification to be applied must also be defined and must be compatible with the subject. The definition of the subject and the certification must be recorded by the CarbonNeutral certifier and the information retained for the purpose of auditing.

## CarbonNeutral® certifications and their emission sources

To provide consistency across a wide range of possible situations, the Protocol provides for a number of different CarbonNeutral® certifications corresponding to different possible entities, products and activities.


These certifications are grouped into three classes:

**Entities:** Defined by legal status and spatial boundaries, covering all types of organisations, including companies and public sector bodies, households, individuals and sub-divisions of these.

**Products:** Defined as an article, substance, capital asset or combination of product and service produced, manufactured or refined for the purpose of onward sale. This class includes mass produced goods such as food and equipment; single use and custom built products such as buildings and urban developments; and, products-as-a-service, such as on-demand printing and personal transport.

**Activities:** Defined by the delivery of utility through a combination of mobile and stationary activities, including traditional transportation services (flights, car journeys, logistics, etc.), information provision such as hosting of data, or professional services, and one-off events that involve a combination of mobile and stationary activities (events, conferences etc.).

**Technical Specification 1.1** includes tables, organised by certification class, that specify required and recommended emission sources to be included in a subject's GHG assessment and CarbonNeutral® certification.



Rimba Raya Biodiversity Reserve REDD+, Indonesia: The project has established a scholarship fund to enhance educational access and provide writing books

## Step 2: Measure

---

The second step is to measure the subject's GHG emissions and provide a complete and accurate GHG inventory over a relevant timescale.

---

### Requirements/recommendations

The subject's GHG emissions must be assessed in accordance with the requirements set out for entities, products and activities in **Table 7**.

**Guidance 2** provides additional information regarding the measurement of GHG emissions. CarbonNeutral certifiers and technical partners should also pay particular attention to the contents of **Technical Specification 1.2** which provides further guidance and clarification on defining the subject for certifications.



# Step 3: Target

The third step is to confirm a target of carbon neutral GHG emissions for the period of the certification to be delivered through internal abatement of GHG emissions and the retirement of environmental instruments to compensate for unabated emissions. The aim is to ensure clients get business value from clear, ambitious and immediate action on carbon emissions, and effective and efficient emissions reductions are stimulated by the presence of a carbon neutral target.

## Requirements/recommendations

As illustrated by **Figure 2**, the client must commit to an overall target of carbon neutral GHG emissions for the subject during the certification period.

For all subjects, the client should set an internal abatement target to ensure the subject’s gross or actual emissions decrease over time. The target may be expressed as an absolute GHG emission reduction or as a decrease in GHG intensity.

Absolute GHG reduction targets compare total GHG emissions in the target year to those in a base year (e.g. reduce CO<sub>2</sub>e by 25 percent below 2015 levels by 2025). GHG intensity targets are expressed as a ratio of emissions relative to a business metric (e.g. reduce CO<sub>2</sub>e by 25 percent per full-time employee by 2025). Absolute GHG reduction targets should be given preference over GHG intensity targets whenever possible.


For more about approaches to setting abatement targets see **Guidance 3.3**.

Clients with an annual footprint above 100,000 tCO<sub>2</sub>e<sup>1</sup> must have set one of the internal abatement strategies and/or targets set out in **Technical Specification 3.1** in order to receive a CarbonNeutral® certification. This applies even if the subject of the certification is less than 100,000tCO<sub>2</sub>e. This threshold is set to reduce annually by 10,000 tCO<sub>2</sub>e, starting in 2024. This Technical Specification will be reviewed annually to ensure that it reflects best practice in target setting for internal abatement.

Any internal abatement targets must be specified in a client’s CarbonNeutral® Certification Target and Reduce Form (see **Technical Specification 3.2**).

While targets may be extended to net zero (see **Guidance 3.4**), carbon (or climate, or net) positive (see **Guidance 3.5**), or to other impacts on the Sustainable Development Goals, CarbonNeutral certification applies only to neutrality as defined in the Protocol.

**Figure 2: Emissions Profile for Subject of CarbonNeutral® Certification**



<sup>1</sup> As defined by CarbonNeutral company certification.

# Step 4: Reduce

The fourth step is to take actions that abate emissions within the subject and which fully compensate for unabated emissions to achieve carbon neutrality. Scope 1 emission reductions are delivered through cost effective energy and process efficiencies, and the introduction of low/zero-carbon technologies. Scope 2 reductions are delivered by switching to, or procuring renewable energy. Scope 3 reductions are achieved through partnerships with suppliers, changing to suppliers using low/zero-carbon technologies, and redesigning products and services so they use fewer emissions in use and disposal phases. Unabated Scope 1, 2 and 3 emissions are offset through the purchase and retirement of qualifying environmental instruments – specifically carbon credits.

### Requirements/recommendations


The subject’s GHG emissions must be reduced to carbon neutral for the duration defined within the CarbonNeutral® certification. This may be achieved through a combination of internal abatement; switching energy consumption to low-carbon or renewable energy sources; and, the retirement of eligible carbon credits.

### Requirements/recommendations covering internal emissions reductions

For all subjects, the client should action a GHG abatement plan to deliver internal emission reductions, taking into consideration the main sources of GHGs from the subject and the likely cost-effectiveness of alternative emission reduction actions. In the case of one-off subjects, such as events, this should entail consideration of emission-minimising measures during the planning phase.

GHG abatement plans should be reviewed for each new certification period to assess progress against planned actions and to assess the feasibility for further reductions, taking into account the availability of new technologies, enabling policies and incentives provided by government, and the overall business context. Where applicable, a Director or Senior Management should be given responsibility for overseeing the development and ensuring the implementation of emission abatement plans.

Figure 3: Reduction Measures to Achieve Carbon Neutrality





**Sustainable Rubber Tree Reforestation, Guatemala:** This nature-based carbon removal project plants rubber trees in Guatemala for the sustainable harvesting of their sap, drawing down carbon as the plantations grow

### Requirements/recommendations covering renewable energy in Scope 2 emissions

Clients should reduce their (Scope 2) energy usage, and seek to access renewable energy to reduce Scope 2 emissions. When doing so, clients must follow the requirements set out in **Technical Specification 4.1.2** and should follow the guidance set out in **Guidance 2.4**, to ensure that such “green procurement” can be evidenced and meets agreed standards.

### Requirements/recommendations covering the compensation and/or neutralisation of unabated emissions

All carbon credits used towards the achievement of CarbonNeutral® certification must meet the requirements set out in **Technical Specification 4.1.1** and should follow the guidance set out in **Guidance 4**.

Carbon credits certified under the standards set out in **Technical Specification 4.1.1** have been determined to meet the requirements above and therefore are qualified to compensate for the subject’s unabated GHG emissions. **Technical Specification 4.1.1** is reviewed annually to ensure it reflects developments in best practice and the performance of carbon credit standards.

When carbon credits are used towards the achievement of CarbonNeutral® certification in advance of their verification and issuance, the client must be provided with a contractual guarantee of delivery or replacement.

Carbon credits must be retired within 12 months from the delivery or purchase of the carbon credits, whichever is the latter event. The CarbonNeutral certifier must confirm that a sufficient number of carbon credits has or will be retired on behalf of the organisation seeking CarbonNeutral® certification or, the CarbonNeutral certifier must receive full assurances from the party implementing retirement that retired credits are being applied to the Subjects/time periods and cannot in any way be deemed to have been double counted.

*Ex post* carbon credits must be used for CarbonNeutral certifications.

# Step 5: Communicate

The fifth step is to provide accurate and transparent information on how CarbonNeutral® certification is achieved. As public pressure for action on climate change grows, so does scrutiny of companies' climate action, coming from a range of stakeholders including: individuals, campaigns, NGOs and other civil society organisations, and authorities that regulate consumer-facing advertising and marketing claims. This fifth part of certification is important to proactively address and respond to that increased scrutiny.

## Requirements/recommendations

The CarbonNeutral® certification logo is the mechanism by which clients communicate the certification.

Clients should have a high-level understanding of all their major environmental, social, and economic impacts, and ensure that their CarbonNeutral® claims are an appropriate response and priority in relation to these major impacts. Clients may use internationally recognised management standards such as ISO 14001 to identify and manage their key impacts.

Once certified CarbonNeutral®, clients should communicate their action through use of the CarbonNeutral® certification logo.

All communications relating to a client's CarbonNeutral® certification **must** be factually based and should be clear and transparent so as to avoid confusion or misunderstanding. Communications **must** be consistent with the specific CarbonNeutral® certification achieved. Refer to **Table 2** for the full list of CarbonNeutral® certifications. The use of the CarbonNeutral® certification logo **must** conform to the requirements and guidance on the use of the CarbonNeutral certification logo (see **Technical Specification 5.1**).

All clients should publicly disclose GHG inventory metrics relating to their CarbonNeutral® certification, including but not limited to their total gross emissions, emission intensity metrics and emission reduction activities. Reporting options include: on product or packaging, a client's own communications and those to third-party reporting initiatives such as CDP, The Climate Registry or the Global Reporting Initiative's (GRI) Sustainability Reporting Standard.

Clients should also ensure that all claims are consistent with national or regional guidance or legislation that defines and controls environmental claims, such as the U.S. Federal Trade Commission's Green Guides, the UK Competition and Markets Authority's Green Claims Code, the Swedish Consumer Agency (Konsumentverket), and the International Chamber of Commerce's Framework for Responsible Environmental Marketing.

Figure 4: Example CarbonNeutral® Certification Logos





# TECHNICAL SPECIFICATIONS & GUIDANCE

Bondhu Chula Cookstoves, Bangladesh: The Bondhu Chula stove is designed to ensure more efficient and cleaner home cooking, working with micro-entrepreneurs who receive training in stove production, sales and marketing and after-sales service

# Step 1: Define Technical Specification

## 1.1 Required GHG Emissions Sources

The certifications are grouped into three classes. Each certification logo can be translated to meet local language communication requirements. However, CarbonNeutral® cannot be translated and is only trademark protected in this format and language.

**Table 2: CarbonNeutral® Certification Classes**

Entity certifications	Product certifications**	Activity certifications
Company/Organisation/Manufacturer	Product	Service
Couriers	Brand	Delivery/Shipment*
Hotel*	Product (excluding...)*	Driving/Fleet
Department/Division/Office	Product-as-a-service*	Flights
Operations	Paper/Publication	Print production*
Data centres*	Packaging	Hotel stay
Building/Office space/Venue	Development/Fit-out*	Hosting/cloud services*
	Electricity	Event/Exhibitor
	Usage*	Business travel*
		Energy use*
		Electricity use
		Gas use/Gas supply
		Electricity supply
		Voyages
		Production* (media)

\*See **Technical Specification 1.2.**

\*\*Products or packaging may only carry a CarbonNeutral product or CarbonNeutral packaging logo respectively.



**Improved Cookstoves, Bangladesh:**  
Carbon finance increases fuel efficiency and reduces indoor air pollution using improved cookstoves

Table 3: CarbonNeutral® Entity Certifications – Required GHG Emissions Sources

GHG assessment emission sources				CarbonNeutral® entity certifications							
Category	Emission source category (Aligned to the GHG Protocol: Corporate Standard and Value Chain Standard – numbers refer to the emission source numbering within the Value Chain Standard in <b>Guidance 1.3</b> )			Company/ Organisation/ Manufacturer	Couriers	Hotel	Department/ Division/Office	Operations	Data centres	Building/Office space/Venue	
	Scope 1	Direct emissions arising from owned, leased or directly controlled stationary sources that use fossil fuels and/or emit fugitive emissions (e.g. refrigerant gases)			✓	✓	✓	✓	✓	✓	✓
Direct emissions from owned, leased or directly controlled mobile sources			✓	✓	✓	✓	✓				
Scope 2	Emissions from the generation of purchased electricity, heat, steam or cooling		Location based	✓	✓	✓	✓	✓	✓	✓	
			Market based	✓	✓	✓	✓	✓	✓	✓	
Scope 3 upstream	1	Purchased goods and services		●	●	●	●	●	●	●	
	2	Capital goods		●	●	●	●	●	●	●	
	3	Fuel- and energy-related activities (not included in Scope 1 or Scope 2)	3a	Upstream emissions of purchased fuels	●	●	●	●	●	●	●
			3b	Upstream emissions of purchased electricity	●	●	●	●	●	●	●
			3c	Transmission and distribution (T&D) losses <sup>1</sup>	✓	✓	✓	✓	✓	✓	✓
	4	Upstream transportation and distribution <sup>2</sup>	Outbound courier deliveries of packages <sup>3</sup>		●	✓	●	●	●	●	●
			Third-party transportation and storage of inbound production-related goods, including internal movement of production-related goods		●	●	●	●	●		
			Third-party transportation and storage of sold products to first customer <sup>4</sup>		✓	✓	✓	✓	✓		
	5	Waste generated in operations	Wastewater		●	●	●	●	●	●	●
			Other waste		✓	✓	✓	✓	✓	✓	✓
	6	Business travel	All transportation by air, public transport, rented/leased vehicle and taxi		✓	✓	✓	✓	●	●	
			Emissions arising from hotel accommodation associated with business travel		●	●	●	●	●	●	
	7	Employee commuting	Employee transport between home and places of work		●	●	●	●	●	●	
			Emissions arising from employee homeworking and remote work <sup>5</sup>		✓			✓	✓		
	As defined in the Value Chain Standard, Scope 3 upstream emission source category 8 is not currently required or recommended under any of the CarbonNeutral® entity certifications, for further details see <b>Guidance 1.3</b>										
Scope 3 downstream	9	Downstream transportation and distribution <sup>2</sup>	Third-party transportation and storage of sold products to first customer (not already included in Category 4) <sup>4</sup>		✓	✓	✓	✓	✓		
			Third-party transportation and storage of sold products beyond first customer, including retail and storage		●	●	●	●	●		
	11	Use of sold products		●							
As defined in the Value Chain Standard, Scope 3 downstream emission source categories 10 through 15 are not currently required or recommended under any of the CarbonNeutral® entity certifications, for further details see <b>Guidance 1.3</b>											
Certification specific requirements (See Technical Specification 1.2)						▲			▲		

Legend: ✓ Required ● Recommended ▲ Guidance

<sup>1</sup> T&D losses must be included where relevant emissions factors are available (e.g. UK based assessments based upon DEFRA emissions factors). Where EACs are used to manage Scope 2 emissions, EACs do not address Scope 3 T&D losses. T&D losses may be offset using carbon credits or EACs.

<sup>2</sup> Upstream transportation and distribution relates to transportation and distribution services purchased by the reporting company, that are not included in Scope 1 or 2. Downstream transportation and distribution relates to transportation and distribution which is not purchased by the reporting company. This is intended to capture significant emissions from transportation and storage of production-related goods and final products manufactured and/or sold by the reporting entity. Where there are transportation and distribution emissions relating to a third-party site, e.g., a third-party warehouse, this must include Scope 1 and Scope 2 emissions of that site. Where assessors identify further emission sources that are material according to their professional judgment, these must also be calculated and included.

<sup>3</sup> Excludes letters sent by general mail service suppliers.

<sup>4</sup> This is only a required source of emissions for product manufacturers and for companies whose primary business is distribution of products manufactured by other entities. This does not include emissions from the day-to-day movement of non-core business consumables.

<sup>5</sup> This is intended to capture the additional emissions not included in Scope 1 and 2 that result from facilities outside of a company's control, either permanently or temporarily, on top of a baseline scenario that would occur regardless of whether the employee was at home.

**Table 4: CarbonNeutral® Product Certifications - Required GHG Emissions Sources**

Required assessment emission sources		CarbonNeutral® product certifications								
		Product	Brand	Product (excluding...)	Product-as-a-service	Paper/Publication	Packaging	Development/Fit-out	Electricity	Usage
Category	Emissions source category									
Cradle-to-grave	Extraction and processing of raw materials and packaging	Cradle-to-grave or cradle-to-customer embodied emissions of raw materials <sup>1</sup> , inputs to production <sup>2</sup> and packaging <sup>3</sup>	✓	✓	✓	✓	✓	✓	✓	✓
		Inbound deliveries of raw materials and inputs to production	✓	✓	✓	✓	✓	✓	✓	✓
Cradle-to-customer	Manufacturing and storage of product and packaging	Direct emissions from on-site fossil fuel use and fugitive emissions	✓	✓	✓	✓	✓	✓	✓	
		On-site consumption of purchased electricity <sup>2</sup>	✓	✓	✓	✓	✓	✓	✓	
		Emissions from waste disposal <sup>4</sup>	✓	✓	✓	✓	✓	✓	✓	
	Distribution	Transportation of sold products to first customer <sup>5</sup>	✓	✓	✓	✓	✓	✓		
	Onward distribution	Onward storage and transportation	✓	✓	●	✓	●	●		
	Retail	Direct emissions from on-site fossil fuel use and fugitive emissions	✓	✓	●	✓	●			
		On-site consumption of purchased electricity and/or steam	✓	✓	●	✓	●			
	Use	Use emissions, including maintenance	✓	✓	●	✓				✓
	Disposal	Emissions from disposal of sold products at end of life	✓	✓	●	✓	●	●	●	
	Other	Construction worker travel to and from development site						✓		
Certification specific requirements (See Technical Specification 1.2)			▲	▲	▲			▲		▲

Legend: ✓ Required ● Recommended ▲ Guidance

The boundary for product-type certifications must be consistent with the definition of the subject. For cradle-to-customer subjects, the boundary must extend from cradle to the point at which the client applying for CarbonNeutral® certification is no longer the owner or purchaser of the transportation/storage service. If using an EPD which meets the requirements specified in **Guidance 2.8**, the emission sources required for the EPD shall prevail over the emissions sources specified above. For further information regarding appropriate boundaries for cradle-to-customer certifications, see **Guidance 1.4**. For cradle-to-grave subjects, the boundary must extend to end-of-life disposal.

<sup>1</sup> Land use change (LUC) emissions are required for those product certifications that have a significant impact on LUC associated with agricultural and commodity supply chains. For agricultural and commodity supply chains, LUC emissions can be excluded if a sufficient farm-level certification was in place (e.g. Rainforest Alliance, UTZ). The Protocol accepts the guidance set out by Quantis (See Recommendation 9, Quantis, 2019, *Accounting for natural climate solutions* <https://quantis-intl.com/report/accounting-for-natural-climate-solutions-guidance>).

<sup>2</sup> Although we encourage clients to offset the wider scope of emissions, T&D losses are not a required emissions source in a CarbonNeutral product-type certification.

<sup>3</sup> Primary packaging must be included and secondary and tertiary is recommended. Any packaging that carries information about the brand and product, and which is included with the product when it is bought by the final customer is primary – all other packaging is secondary (e.g. for delivery to retailer or tertiary (e.g. for long-distance distribution)).

<sup>4</sup> Where data is available, it is recommended that emissions arising from water consumption and also wastewater treatment are included within these categories.

<sup>5</sup> Where emissions from transportation and storage are included, this must be accounted for until the first customer receives the product, regardless of which party is responsible for the associated expense.

Table 5: CarbonNeutral® Activity Certifications – Required GHG Emissions Sources

Required assessment emission sources	CarbonNeutral® activity certifications														
	Service	Delivery/Shipment	Driving/Fleet	Flights	Print production	Hotel stay	Hosting/Cloud services	Event/Exhibitor	Business travel	Energy use	Electricity use	Gas use/Gas supply	Electricity supply	Voyages	Production (media)
All direct emissions from on-site sources used to deliver the activity <sup>1</sup>	✓	✓			✓	✓	✓	✓		✓		✓	✓		✓
All direct emissions from mobile sources used to deliver the activity <sup>1</sup>	✓	✓	✓	✓		✓			✓					✓	✓
Emissions from the consumption of purchased electricity (including transmission and distribution) and/or steam used in the delivery of the activity	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓		✓	✓	✓
Travel of employees/ contractors - by air, public transport, rented/leased vehicle and taxi - involved in the delivery of the activity	●				●	●	●	✓							✓
Travel of individuals to and from the activity - by air, public transport, rented/leased vehicle and taxi, and hotel accommodation								●							✓
Emissions from hotel accommodation due to business travel									✓						
Waste disposal <sup>2</sup>	●				✓	✓	✓	✓						✓	✓
Embodied emissions of consumables used in the delivery of the activity														✓	✓
Transportation of products associated with the activity to the first customer					✓										
<b>Certification specific requirements (See Technical Specification 1.2)</b>		▲			▲		▲	▲	▲	▲					▲

Legend: ✓ Required ● Recommended ▲ Guidance

<sup>1</sup> Inclusion of upstream emissions of purchase fuel is recommended.

<sup>2</sup> Where data is available, it is recommended that emissions arising from wastewater treatment are included within this category.

## 1.2 Certification specific requirements

This Technical Specification provides further details on the requirements of certification categories as set out in **Tables 3, 4 and 5**.

### CarbonNeutral® entity certification specific requirements

#### CarbonNeutral® hotel

Emissions from outsourced laundry services must be included.

#### CarbonNeutral® data centres

Includes refrigerant gas loss at the data centre; office emissions of specific account management staff (if they are not physically located in the data centre); business travel of any staff specifically assigned to manage the account/equipment of the company that is using the data centre.

### CarbonNeutral® product certification specific requirements

#### CarbonNeutral® brand

This is listed as a product certification because the scope of a CarbonNeutral brand must include all products which fall under that brand name. In addition, the scope must include non-product-related emissions relating to the operation of the brand where those emissions are not already accounted for in the footprint or LCA of the products, in accordance with the CarbonNeutral division certification (see **Technical Specification 1.1** for the required GHG emissions sources for CarbonNeutral entity certifications). Individual products and product lines are not expected to have disaggregated footprint data.

#### CarbonNeutral® product (excluding ...)

Where any recommended emissions sources are excluded, this must be appropriately and transparently communicated. The name of the certification must be amended appropriately. For example, where only use-phase emissions are excluded, the appropriate claim is CarbonNeutral® product (excluding use); where use-phase and disposal emissions are excluded, the appropriate claim is CarbonNeutral® product (excluding use and disposal). Use of CarbonNeutral product (excluding...) certifications must be pre-approved and agreed with the CarbonNeutral certifier.

#### CarbonNeutral® product-as-a-service

Includes all emissions arising from: a product, annualised for the length of the certified service or per unit of usage; and usage emissions from the entire service for which the product is certified.



**Aqua Clara Water Filters, Kenya:**  
Providing safe water to homes and schools while avoiding the emissions from the need to boil unsafe water

### CarbonNeutral® development

Emissions from the ongoing use of the development post construction are excluded.

### CarbonNeutral® usage

All direct and indirect GHG emissions from the end-consumer use, for a period equivalent but not limited to the expected average lifetime of the product.

### CarbonNeutral® activity certification specific requirements

#### CarbonNeutral® delivery/shipment

Includes intermediate emissions from static operations e.g. warehousing and storage.

When the CarbonNeutral® delivery certification logo is carried on a delivered product, the scope must include the entire distribution chain for the finished product from point of manufacture or ownership to the end user, or in the case of consumer products, to the point of retail to the end consumer.

When the CarbonNeutral® delivery certification logo is used by a logistics provider to differentiate their logistics service and the logo is not carried on a delivered product, the scope need only include the portion of the distribution chain over which the logistics provider is the provider/ purchaser of the service.

#### CarbonNeutral® print production

Boundaries must include emissions associated with the printing process and transport of printed material from printers to clients (specifically excluding emissions from the paper/other materials used).

#### CarbonNeutral® hosting/cloud services

Includes refrigerant gas loss at the data centre; office emissions of specific account management staff (if they are not physically

located in the data centre); business travel of any staff specifically assigned to manage the account/equipment of the company that is being provided with the hosting service.

Emissions are calculated for the entity as a whole and allocated to the subject using a methodology that accurately apportions emissions to the service provided. Allocation methodologies could include the amount of: memory (RAM), storage space, processing power, bandwidth, and the level of managed service (labour), and need to be agreed on a case-by-case basis.

#### CarbonNeutral® event/exhibitor

Emissions from hotel accommodation should be included.

#### CarbonNeutral® business travel

Boundaries must include emissions arising from business travel - by air, public transport, rented/leased/owned vehicles and taxis, and emissions from hotel accommodation due to business travel.

#### CarbonNeutral® energy use

Boundaries must include emissions arising from the use of electricity and natural gas use, and all fossil fuels used for space heating or on-site electricity generation.

#### CarbonNeutral® production (media)

Boundaries must include all emissions arising from production-financed activities directly related to the production of the entertainment media subject (i.e., motion picture, television episode, etc.), beginning with the commencement of pre-production and ending with the conclusion of post-production for the specific subject. For the sake of clarity, emissions arising from the development (e.g., initial writing of a screenplay and other activities preceding "green light") and distribution (e.g., duplication, marketing, audience travel, and other activities succeeding the creation of the final master copy) of the subject are excluded, but hotel accommodation during the production must be included.



**Orb Household Solar, India:**  
Bringing affordable, reliable solar-powered electricity and water heating to businesses and households in India

# Step 1: Define Guidance

## 1.3 Corporate value chain (Scope 3) accounting and reporting

The GHG Protocol Corporate Value Chain (Scope 3) Accounting and Reporting Standard (also referred to as the Scope 3 Standard) developed by the WRI and the WBCSD provides requirements and guidance for companies preparing and publicly reporting GHG emission inventories that include indirect emissions resulting from value chain activities (i.e. Scope 3 emissions). The Scope 3 Standard complements and builds upon the GHG Protocol Corporate Accounting and Reporting Standard to promote additional completeness and consistency in the way companies account for and report on indirect emissions from value chain activities.

The Scope 3 Standard groups Scope 3 emissions into 15 distinct categories, as shown in **Table 6**. The categories are intended to provide companies with a systematic framework to organise, understand, and report on the diversity of Scope 3 activities within a corporate value chain.

The CarbonNeutral Protocol adopts this framework to identify which emission sources are required and recommended for its various CarbonNeutral® entity certifications. This is to ensure consistency of reporting between The CarbonNeutral Protocol and the Scope 3 Standard.

In line with emerging best practice for entity certifications, all applicable Scope 3 emissions sources should, as far as practicable, be included in the assessment of the subject's GHG emissions. However, in many cases it will not be practical to collect data for all Scope 3 sources (e.g. upstream emissions associated with purchased goods and services).

The Protocol requires the inclusion of certain Scope 3 emissions (waste generated in operations, business travel, etc) for certain certifications. The inclusion of any other Scope 3 emissions is at the discretion of the client.

Clients should consider the following issues when determining which additional Scope 3 emissions sources to include:

1. The influence that the company has over abatement opportunities
2. The likely contribution of the emissions to the subject's overall footprint. Emission sources that are judged likely to be material should be included.
3. The availability of reliable data

For additional information about the GHG Protocol Corporate Value Chain (Scope 3) Accounting and Reporting Standard and its 15 Scope 3 categories refer to: [www.ghgprotocol.org/standards/scope-3-standard](http://www.ghgprotocol.org/standards/scope-3-standard).



**Degraded Grasslands Afforestation, Uruguay:** Using carbon finance, this project is implementing sustainable wood production, land restoration, and carbon sequestration through afforestation on degraded land in Uruguay

**Table 6: The GHG Protocol: Corporate Value Chain (Scope 3) Accounting and Reporting Standard<sup>1</sup>**

Upstream or downstream	Scope 3 category	Category description
<b>Upstream Scope 3 emissions</b>	1. Purchased goods and services	Extraction, production, and transportation of goods and services purchased or acquired by the reporting company in the reporting year, not otherwise included in Categories 2 – 8.
	2. Capital goods	Extraction, production, and transportation of capital goods purchased or acquired by the reporting company in the reporting year.
	3. Fuel- and energy-related activities (not included in Scope 1 nor 2)	Extraction, production, and transportation of fuels and energy purchased or acquired by the reporting company in the reporting year, not already accounted for in Scope 1 nor 2.
	4. Upstream transportation and distribution	Transportation and distribution of products purchased by the reporting company in the reporting year between a company's tier one suppliers and its own operations (in vehicles and facilities not owned or controlled by the reporting company). Transportation and distribution services purchased by the reporting company in the reporting year, including inbound logistics, outbound logistics (e.g. of sold products), and transportation and distribution between a company's own facilities (in vehicles and facilities not owned or controlled by the reporting company).
	5. Waste generated in operations	Disposal and treatment of waste generated in the reporting company's operations in the reporting year (in facilities not owned or controlled by the reporting company).
	6. Business travel	Transportation of employees for business-related activities during the reporting year (in vehicles not owned or operated by the reporting company).
	7. Employee commuting	Transportation of employees between their homes and their places of work during the reporting year (in vehicles not owned or operated by the reporting company).
<b>Upstream Scope 3 emissions</b>	8. Upstream leased assets	Operation of assets leased by the reporting company (lessee) in the reporting year and not included in Scope 1 and Scope 2 – reported by lessee.
<b>Downstream Scope 3 emissions</b>	9. Downstream transportation and distribution	Transportation and distribution of products sold by the reporting company in the reporting year between the reporting company's operations and the end consumer (if not paid for by the reporting company), including retail and storage (in vehicles and facilities not owned or controlled by the reporting company).
	10. Processing of sold products	Processing of intermediate products sold in the reporting year by downstream companies (e.g. manufacturers).
	11. Use of sold products	End use of goods and services sold by the reporting company in the reporting year.
	12. End-of-life treatment of sold products	Waste disposal and treatment of products sold by the reporting company (in the reporting year) at the end of their life. Transportation and distribution services purchased by the reporting company in the reporting year, including inbound logistics, outbound logistics (e.g. of sold products), and transportation and distribution between a company's own facilities (in vehicles and facilities not owned nor controlled by the reporting company).
	13. Downstream leased assets	Operation of assets owned by the reporting company (lessor) and leased to other entities in the reporting year, not included in Scope 1 and Scope 2 – reported by lessor.
	14. Franchises	Operation of franchises in the reporting year, not included in Scope 1 and Scope 2 – reported by franchisor.
	15. Investments	Operation of investments (including equity and debt investments and project finance) in the reporting year, not included in Scope 1 nor Scope 2.

<sup>1</sup> GHG Protocol, 2011, *Corporate Value Chain (Scope 3) Accounting and Reporting Standard*, <https://ghgprotocol.org/standards/scope-3-standard>.

### 1.4 Product-type certifications

**Figure 5** sets out the different boundaries for various life-cycle stages within an illustrative product supply chain.


The Greenhouse Gas Protocol Corporate Standard gives a clear list of the different emission sources, but does not give clarity about where the responsibility of companies begins and ends. Understanding responsibilities for Scope 1 and Scope 2 is relatively straightforward. A utility's Scope 1 is a power user's Scope 2, and those corporates taking climate action take responsibility for the power they use. Scope 3, however, is entirely different, and it can be a case of unpicking multiple responsibilities from a long value chain of many different actors, materials and activities. The process can be particularly difficult for products that are a component part of a product or an intermediary product, and for products where consumer behaviour greatly affects the emissions during the use and disposal phases. Central to this topic is the question of whether companies should be responsible for cradle-to-customer or cradle-to-grave emissions. Cradle-to-grave includes the emissions from use and disposal phases, whereas cradle-to-customer does not.

For CarbonNeutral product certification, the boundary for required emissions sources is cradle-to-grave emissions, with one exception: products utilising an Environmental Product Declaration (EPD) to document its footprint, where the Product Category Rules underpinning the EPD only require emissions

from fewer life cycle stages, e.g. cradle to customer. Only in such an instance can CarbonNeutral product certification be achieved with fewer life cycle stages. More information on EPDs is set out in **Technical Specification 2.8** (Using EPDs for CarbonNeutral® products). All other products measuring less than cradle-to-grave emissions cannot use CarbonNeutral product certification, but may use CarbonNeutral product (excluding...) certification.

The logic behind the Protocol's standardisation of CarbonNeutral product certification around cradle-to-grave emissions is to ensure the integrity of the communications around CarbonNeutral products to customers and/or consumers. For some products, certain emissions, for example those in the use or disposal phase, can be avoided by individual consumers' behaviours, and are therefore not intrinsic to the product. This can lead some to think that use or disposal phase emissions need not be accounted for when undertaking a footprint of a product. However, the standardisation of CarbonNeutral product certification around cradle-to-grave emissions effectively says that the footprint must be calculated from the best *available* evidence of what, on aggregate, actual consumer behaviour is when using or disposing of the product, not on the basis of one low- or zero-emissions option available to the consumer. Where Product Category Rules underpinning the EPD require emissions from fewer life cycle stages, e.g. cradle-to-customer, we defer to those rules and deem them to have assessed that the stages not included are not material to the footprint for the specified type of product.

**Figure 5: Boundaries for Life-Cycle Stages Within a Product Supply Chain**





**Chinese Afforestation Portfolio, China:**  
Carbon finance helps restoring more than 30,000 hectares of degraded land in the provinces of Qinghai and Xinjiang, supporting a drive to create and conserve nature reserves

In summary, CarbonNeutral product certification is available for those entities able to take climate action on all the emissions associated with the product, and CarbonNeutral product (excluding...) certification gives an option to entities that can only take climate action on the emissions associated with the creation and manufacture of the product but not (yet) the emissions of the use and disposal of the product. In a world where only a minority of companies are carbon neutral today and there is a need to ensure wider adoption, and where maintaining clear and credible claims to consumers is a must, we deem that this approach helps navigate the complexity of product value chains with a simple, pragmatic and flexible approach.

We anticipate that the scope of product certifications will be refined with time and application, and that this guidance will be updated in subsequent revisions to the Protocol.

### 1.5 Treatment of assets rented or leased to customers of CarbonNeutral® entities

In line with Annex G to the GHG Protocol Corporate Standard, emissions arising from entity assets rented/leased to a third party can be treated as either Scope 1 or Scope 3 emissions. The correct treatment is dependent on whether the entity is taking an “equity share” or “operational control” approach to their GHG emissions, as defined by the GHG Protocol Corporate Standard. Most applications of The CarbonNeutral Protocol take an “operational control” approach to entity emissions, resulting in emissions from rented or leased assets being categorised as Scope 3 emissions for the entity providing the assets that are being rented/leased. Therefore, for consistency, The CarbonNeutral Protocol recommends this approach.

An example of an entity taking an “operational control” approach to their GHG emissions would be that of a car rental company. When their vehicles are leased to customers, the emissions arising from customer use are counted as Scope 3 by the company. The emissions count as a Scope 1 emission for the customer of the company, as they have operational control of the vehicle for the duration of the lease.



# BROOKS RUNNING COMPENSATES FOR CLIMATE IMPACT OF HIGHEST-VOLUME PRODUCT STYLE WHILE ON NET ZERO JOURNEY

**DEFINE:** In 2022, Brooks wanted to make its highest-volume style of shoe, the Ghost, a certified CarbonNeutral® product

**MEASURE:** Brooks performed a life cycle impact assessment utilising the Product Environmental Footprint (PEF) methodology, the current standard of the European Commission. This assessment calculated the carbon emissions from each life-cycle stage of the Ghost 15 – including raw material extraction, material manufacturing, product assembly, packaging, distribution, and end-of-life

**TARGET:** Brooks is committed to reducing absolute Scope 1 & 2 greenhouse gas emissions 50% and absolute Scope 3 greenhouse gas emissions 15% by 2030 (from a 2018 baseline). Brooks aims to achieve net-zero greenhouse gas emissions by 2040 — 10 years ahead of the Paris Agreement goal

**REDUCE:** Carbon emissions per pair reduced 6% between the Ghost 14 and Ghost 15. This reduction was predominantly driven by increased use of recycled materials and a decrease in air shipments from factory to distribution centre

Brooks recognises that current reductions are just one step towards meeting their targets, so the company supported external emission reduction projects in the U.S. and globally to offset the unabated carbon emissions of the Ghost 15

**COMMUNICATE:** Brooks is committed to a long-term, science-based approach to sustainability. Sustainability credentials are communicated on Brooks' e-commerce website for the majority of its products, and the Ghost 15 page includes information about its CarbonNeutral product certification

# Step 2: Measure

## Technical Specifications

### 2.1 GHG Emission Quantification Requirements

Table 7: GHG Emission Quantification Requirements for Different Classes of Certifications

Step	Entities	Products not using an EPD <sup>1</sup>	Activities
<b>1. Select GHG accounting protocol</b>	The GHG Protocol Corporate Standard, ISO 14064-1, the Climate Registry's General Reporting Protocol or similar consistent protocols <u>must</u> be used. Joint ventures <u>must</u> be treated as outlined in the GHG Protocol. <sup>2</sup>	The GHG Protocol Product Standard, PAS 2050, ISO 14067, ISO 14025 Environmental Product Declaration following applicable Product Category Rules (PCR), ISO 14040-14044, ISO 21930 (for building products), EN 15804 or methods set out in steps 2-7 below <u>must</u> be applied unless the CarbonNeutral certifier identifies valid reasons for using other methods.	The GHG Protocol Product Standard, PAS 2050 or methods set out in steps 2-7 <u>must</u> be applied unless the CarbonNeutral certifier identifies valid reasons for using other methods.
<b>2. Define boundary</b>	The boundary <u>must</u> include all sites, plants and vehicles owned by or under operational control of the certifying entity.	The boundary <u>must</u> be consistent with the definition of the subject. For cradle-to-customer subjects, the boundary <u>must</u> extend to the point of customer delivery. For cradle-to-grave subjects, the boundary <u>must</u> extend to end-of-life disposal.	The boundary <u>must</u> be consistent with the definition of the subject and <u>must</u> include the sites and/or vehicles involved in the delivery of the activity.
<b>3. Identify emissions sources</b>	Assessments <u>must</u> include emissions sources as specified in <b>Tables 3, 4 and 5</b> for CarbonNeutral® certifications and their specific required assessment emissions sources.		
<b>4. Identify GHGs to be measured</b>	All GHGs recognised under the UN Framework Convention on Climate Change, which currently include carbon dioxide (CO <sub>2</sub> ), methane (CH <sub>4</sub> ), nitrous oxide (N <sub>2</sub> O), hydrofluorocarbons, perfluorocarbons, sulphur-hexafluoride (SF <sub>6</sub> ) and nitrogen trifluoride (NF <sub>3</sub> ) <u>must</u> be measured in the assessment, insofar as they apply to the subject.		
<b>5. Establish time period</b>	Assessments <u>must</u> at a minimum be conducted annually and should relate to a 12-month data period. The start date of the CarbonNeutral certification period <u>must</u> be no later than nine months after the end of the assessment data period (e.g., the data period 1st January 2022 – 31st December 2022 may be used towards a certification period that starts no later than 30th September 2023).	For standard consumer products, assessments should relate to a 12-month data period. The start date of the certification period <u>must</u> be no later than 5 years after the end of the assessment data period (e.g., the data period 1st January 2017 – 31st December 2017 may be used towards a certification period that starts no later than 31st December 2022). Assessments may remain valid for up to 5 years. In intermediate years, where an existing assessment is in place, an annual declaration <sup>3</sup> <u>must</u> be made that the assessment remains an accurate assessment of the carbon footprint of the product. If there is a significant change to the product supply chain within that 5-year period, the footprint <u>must</u> be adjusted to reflect that change within 12 months.	For standard consumer activities, assessments <u>must</u> at a minimum be annual. For one-off or custom activities the timescale <u>must</u> relate to the production and delivery period.
<b>6. Determine data validity</b>	Primary data <u>must</u> be used in preference to estimates, where it is readily available, up to date and geographically relevant. Estimates, extrapolations, models and industry averages may be used where actual data is unavailable. When this is done, these assumptions <u>must</u> be recorded by the party carrying out the assessment. A qualitative and/or quantitative description of the uncertainty associated with the client-supplied data should be made. In cases where the quality of client supplied data is not known (e.g. in online calculators), the dependency of results on the quality of input data <u>must</u> be made clear. The Protocol does not mandate a minimum percentage of the total GHG emissions inventory that is from primary data, however where the percentage of primary data is low this should be improved in the following assessment. The CarbonNeutral certifier reserves the right to not accept the assessment where the third party assessor has material concern over the accuracy and robustness of the footprint. A minimum threshold for primary data may be introduced to The CarbonNeutral Protocol in the future.		
<b>7. Measure GHG emissions</b>	The subject's GHG emissions <u>must</u> either be directly measured or quantified using national, regional, international, or other relevant emission factors, with preference given to emission factors most closely associated with the emissions source. The assessment <u>must</u> be reported in units of CO <sub>2</sub> e according to the 100-year warming potential of each gas. Preference should be given to the global warming potential (GWP) factors included within the latest assessment report of the Intergovernmental Panel on Climate Change (IPCC). In instances where most relevant emission factors available use previous GWP factors, it is still acceptable to use these emission factors. GWP factors applied <u>must</u> be clearly stated in the assessment. Emission sources that are required to be assessed (see <b>Tables 3, 4 and 5</b> ) but are estimated to each represent less than 2% of the subject's total GHG emissions and collectively no more than 5% of the subject's GHG emissions <u>must</u> be included and may be calculated and reported using simplified estimation methods.		
<b>8. Quality assurance</b>	All GHG assessments <u>must</u> either be conducted or checked, and in the case of GHG tools and calculators, be approved, by an Assessment Partner or Assessment Provider approved by Climate Impact Partners to ensure they have met the requirements in this table. <b>Technical Specification 2.2</b> details requirements and recommendations for the presentation of GHG assessments; and, <b>Guidance 2.3</b> provides further guidance on quality assurance and verification.		

<sup>1</sup> If the subject is covered by an EPD which meets the requirements specified in **Guidance 2.8**, it shall fulfil the GHG emission quantification requirements for CarbonNeutral® product certification. Refer to **Guidance 2.8** for further guidance on EPDs.

<sup>2</sup> GHG Protocol, 2004, *Setting Organizational Boundaries*, [http://pdf.wri.org/ghg\\_protocol\\_2004\\_chp003.pdf](http://pdf.wri.org/ghg_protocol_2004_chp003.pdf).

<sup>3</sup> A copy of the annual declaration to be completed by the company is available by request from [assessments@climateimpact.com](mailto:assessments@climateimpact.com).

### 2.2 GHG emissions assessments

This Technical Specification provides requirements and guidance for the GHG emissions data required for assessments provided to support CarbonNeutral® certifications.

#### Presentation of data

When preparing assessment results for a subject for CarbonNeutral® certification, the following data must be made available to the CarbonNeutral certifier:

- Full and unambiguous definition of the subject
- Time period that data collected pertains to
- Methodology applied
- Full details of GHG emissions sources included within scope of assessment
- Full list of any GHG emissions sources omitted, including reason for omission
- Full details of all calculations undertaken – including source data, emissions factors applied, calculated results, any additional factors applied (e.g. uplift factors)
- Full list of emissions factors applied with dated, referenced sources
- Full details of estimates, extrapolations, models and industry models applied
- Full results of calculations (including without limitation, total emissions per unit, organised by subject)
- Volume of carbon credits or other environmental instruments to be offset in order for subject to achieve CarbonNeutral® certification
- Percentage of the total GHG emissions inventory that is from primary data vs. the percentage that is calculated based on upon estimates (the exact percentage is recommended)
- Provide recommendations to improve the accuracy of the calculations or methodology for future assessments to align with best practice

As many product certifications will initially be based on estimated sales, a reconciliation based on actual sales data must be submitted via an attestation once data becomes available. Attestation templates for annual sales data may be obtained from [assessments@climateimpact.com](mailto:assessments@climateimpact.com).

#### Presentation of results for subject for CarbonNeutral® certification

Assessment results for a subject for CarbonNeutral® certification should be clear and unambiguous:

- GHG emissions sources included within the assessment should be categorised by “Emissions source category” as defined within **Tables 3, 4 and 5**
- Each relevant “Emissions source category” as defined within **Tables 3, 4 and 5** for the relevant certification should be listed and include either:
  - The calculated result (including both location- and market-based Scope 2 emissions)
  - A zero result
  - A clear indication of exclusion from the subject’s CarbonNeutral® certification
- The total volume to be offset must be included (for Scope 2, the market-based total must be used)

Where multiple subjects are included within a single assessment, any “overlap” or potential double counting between the subjects must be clearly calculated and presented.

For example, a single assessment may cover the GHG footprint of an organisation and the products manufactured by the organisation. The emissions categories for CarbonNeutral® company and CarbonNeutral® product should be listed and presented separately. Emissions sources which relate to both certifications should be listed, with the value of the overlap stated.

Table 8: Illustrative Table of Results for CarbonNeutral® Company Certification

GHG assessment emissions sources				Required or recommended	Included in assessment	tCO <sub>2</sub> e (in kt)		
Category	Emission source category (Aligned to the GHG Protocol: Corporate Standard and Value Chain Standard)							
GHG Protocol Standards: Corporate Scope - 1 and 2, Value Chain - Scope 3	Scope 1	Direct emissions arising from owned, leased or directly controlled stationary sources that use fossil fuels and/or emit fugitive emissions			Required	✓	100	
		Direct emissions from owned, leased or directly controlled mobile sources			Required	✓	35	
	Scope 2	Location-based emissions from the generation of purchased electricity, heat, steam or cooling			Required	✓	200	
		Market-based emissions from the generation of purchased electricity, heat, steam or cooling			Required	✓	0	
	Scope 3 - Upstream	1	Purchased goods and services		Recommended	✘	-	
		2	Capital goods		Recommended	✘	-	
		3	Fuel- and energy- related activities (not included in Scope 1 or Scope 2)	3a	Upstream emissions of purchased fuels	Recommended	✘	-
				3b	Upstream emissions of purchased electricity	Recommended	✓	20
				3c	Transmission and distribution (T&D) losses	Required	✓	10
		4	Upstream transportation and distribution	Outbound courier deliveries of packages		Recommended	✘	-
				Third-party transportation and storage of inbound production-related goods		Recommended	✓	100
5		Waste generated in operations	Wastewater		Recommended	✘	-	
			Other waste		Required	✓	10	
6		Business travel	All transportation by air, public transport, rented/leased vehicle and taxi		Required	✓	80	
	Emissions arising from hotel accommodation associated with business travel		Recommended	✘	-			
7	Employee commuting	Employee transport between home and places of work		Recommended	✓	20		
		Emissions arising from employee homeworking and remote work		Required	✓	65		
Scope 3 - Downstream	9	Downstream transportation and distribution	Third-party transportation and storage of sold products	n/a	n/a	-		
	11	Use of sold products		n/a	n/a	-		
<b>Total GHG Emissions (location based)</b>						<b>640</b>		
<b>Total GHG Emissions (market based)</b>						<b>440</b>		
<b>Total volume to be offset (Rounded up to the nearest tonne)</b>						<b>440</b>		

# Step 2: Measure Guidance

## 2.3 Quality assurance and verification

### Purpose of this guidance

The foundation of a CarbonNeutral® certification is the GHG assessment of the defined subject. The CarbonNeutral Protocol places strong emphasis on quality assurance to support the integrity of CarbonNeutral® certifications. This guidance explains how quality assurance is conducted and the roles and responsibilities of the CarbonNeutral certifier; the client applying for and using CarbonNeutral certifications; and independent third-party consultants.

### Quality assurance roles and responsibilities

The CarbonNeutral certifier's primary responsibility is to ensure that the requirements of the Protocol are met for the award of the specified certification. The client is responsible for completing a Protocol-compliant GHG assessment that is the foundation of all certifications.

The CarbonNeutral certifier requires that assessments are undertaken or reviewed by a qualified independent third-party which has the responsibility for attesting that GHG assessments meet the requirements of the Protocol and are in line with the approach and principles of The CarbonNeutral Protocol.

To this end, the CarbonNeutral certifier recognises two types of assessors:

1. Assessment Partner: a qualified third-party assessor with a formal agreement with the CarbonNeutral certifier to conduct GHG assessments on behalf of clients in accordance with The CarbonNeutral Protocol.

Assessments conducted by Assessment Partners are accepted as CarbonNeutral Protocol compliant without additional review.

2. Assessment Provider: a qualified third-party assessor with no formal agreement with the CarbonNeutral certifier, contracted by the client to conduct its GHG assessment in accordance with the requirements of The CarbonNeutral Protocol

Where an assessment is conducted by an Assessment Provider, the Assessment Provider must complete and provide an attestation that the underlying assessment meets the requirements of The CarbonNeutral Protocol and was undertaken based upon complete, accurate and correct data.

### Assessment Partners

The appointment of Assessment Partners is conditional on evidence of the following competencies and experience specific to the relevant type of assignment (assessment or assessment review) and type of certification (entity, product or activity):

- Organisations qualified and experienced in GHG accounting, Life Cycle Assessments and / or EPDs having performed at least three assessments following one or more of the referenced product standards;
- Experienced individuals having performed at least three GHG assessments, LCA or EPD critical reviews following one or more of the referenced standards

The work products, qualifications and expertise of Assessment Partners are reviewed periodically to ensure that qualifications are maintained, and that Partners maintain satisfactory performance.

### Verification, quality control and quality assurance requirements

Verification is an independent evaluation conducted by an expert third party to the requirements of a recognised verification standard (such as ISO 14064:3 or ISAE 3410) to confirm that the quality of input data, a GHG assessment, or that the use of a CarbonNeutral® certification logo meets the requirements of CarbonNeutral® certification and is in line with the approach and principles of The CarbonNeutral Protocol.

The CarbonNeutral certifier reserves the right to review and approve/ not approve the Assessment Provider and the completed attestation, to determine whether the Assessment Provider has sufficient and appropriate experience and expertise to undertake a high quality, compliant review, and to determine whether the attestation has been completed satisfactorily. Attestation templates may be obtained at [www.carbonneutral.com/attestation-form](http://www.carbonneutral.com/attestation-form) or by emailing [assessments@climateimpact.com](mailto:assessments@climateimpact.com)

**Table 9: Quality Assurance and Verification Requirements for the Five Steps to Achieving CarbonNeutral® Certification**

Protocol step	Quality assurance requirements	Verification requirements
<b>1. Define the subject</b>	The definition of the subject and the certification <u>must</u> be recorded by the CarbonNeutral certifier and the information retained for the purposes of auditing.	Third-party verification is at the discretion of the client.
<b>2. Measure subject's emissions</b>	All GHG assessments <u>must</u> either be conducted or checked, and in the case of GHG tools and calculators, be approved by an Assessment Partner or Assessment Provider approved or recognised by the CarbonNeutral certifier to ensure they have met the requirements for GHG emission assessments as stipulated in <b>Technical Specification 2.2</b> .	Third-party verification of input data and GHG emission calculations is at the discretion of the client. The CarbonNeutral certifier can request third-party verification of the input data should the quality assurance review surface concerns about whether the data is correct, complete and accurate.
<b>3. Set target</b>	The client <u>must</u> commit to an overall target of carbon neutral GHG emissions for the subject during the certification period.	Not applicable.
<b>4. Reduce emissions</b>	The defined subject's net GHG emissions <u>must</u> be zero for the duration defined within the CarbonNeutral® certification.	The quality of carbon credits accepted by The CarbonNeutral Protocol is always verified against the requirements of the third-party standards under which they are established.  The CarbonNeutral certifier is subject to an annual third-party verification to assure the carbon neutral status of CarbonNeutral certifications under the Protocol. <sup>1</sup>
<b>5. Communicate</b>	Use of the CarbonNeutral® certification <u>must</u> conform to the CarbonNeutral® certification logo guidelines. All communications relating to a client's CarbonNeutral® certification <u>must</u> be factually based, and consistent with the CarbonNeutral® certification achieved.	Third-party verification of the correct application of the CarbonNeutral® certification logo and communications is at the discretion of the client. It can be requested by the CarbonNeutral certifier should there be evidence of incorrect application of the logo.

<sup>1</sup> As a member of ICROA, Climate Impact Partners is subject to an annual third-party audit against the requirements of the ICROA Code of Best Practice: <https://www.icroa.org/code>.

Verification of input data, calculations and CarbonNeutral communications is at the discretion of the client. The CarbonNeutral certifier may request third-party review or verification of all or any of these aspects should its quality assurance review surface concerns about whether these are correct, complete and accurate.

Clients should consider third-party review of the management systems supporting certifications and third-party verification of the data, calculations, carbon credit retirements, carbon neutrality and communication of CarbonNeutral® certifications when:

1. The subject's GHG emissions are material or in excess of 100,000 tCO<sub>2</sub>e/yr
2. Certifications are publicly reported or presented to audiences which may use CarbonNeutral® certifications to make commercially material decisions
3. Certifications are used in support of mandatory reporting requirements or submissions to regulatory authorities

The additional costs of verification should be weighed against the value derived from third-party review. The value of third-party review comes from increased rigour and integrity, and from the identification of management system improvements which increase cost-effectiveness and improve management of climate risks.

Routes to increased rigour and integrity of certifications include, but are not limited to:

1. Maintaining on file the data, assumptions, models and supporting calculations to a recognised standard such as ISO 14064-1 or the GHG Protocol
2. Ensuring that staff and management involved in the CarbonNeutral® certification have the requisite qualifications, competencies and experience
3. Subjecting the accuracy of the input data, assessments, and carbon neutral claims to third-party verification against a recognised verification or assurance standard such as ISO 14064 or ISA E3410
4. Independent confirmation of the accuracy of the CarbonNeutral® communications and claims

The quality assurance and verification requirements across the 5 steps to certification are summarised in **Table 9**.

### 2.4 Energy use (gas and electricity)

#### 2.4.1 Treatment of renewable electricity in Scope 2 emissions

This guidance details how the carbon attributes of renewable energy in the form of energy attribute certificates (EACs) are accounted for in Scope 2 of the GHG inventories that underpin CarbonNeutral® certifications.

A number of countries have adopted policies requiring or encouraging electricity suppliers to offer renewable electricity to consumers. This may be done through a range of different electricity products such as tariff-based programmes and power purchase agreements. All credible renewable electricity products involve the cancellation of EACs such as Renewable Energy Certificates (RECs), International Renewable Energy Certificates (I-RECs) or Guarantees of Origin (GOs) in order to support the renewable electricity claim.

Prior to 2015, detailed guidance on how to report the carbon attributes of renewable electricity was absent from the GHG inventory standards accepted under The CarbonNeutral Protocol. However, in 2015, the WRI, author of the widely used GHG Protocol Corporate Standard, published its “Scope 2 Guidance” as an amendment to the GHG Protocol to clarify the accounting treatment of low-carbon grid-delivered energy in Scope 2 GHG inventories. The amendment, published after four years of development and industry consultation, provides guidance for how corporations should measure emissions from electricity and energy purchases, including renewable energy, and covers:

- **Requirements:** Accounting and reporting requirements which entities must meet to be in conformance with the GHG Protocol Corporate Standard
- **Quality Criteria:** A list of Scope 2 quality criteria that all electricity purchasing instruments, termed “contractual instruments,” need to meet in order to be used in market-based method accounting
- **Recommendations:** Additional features entities are recommended to disclose include their electricity purchases, as well as other metrics such as total electricity, steam, heating, and cooling consumed and what percentage of a corporates’ operations have market-based method data available

From the date of publication of the GHG Protocol Scope 2 amendment, entities using the GHG Corporate Protocol to meet the GHG inventory requirements of The CarbonNeutral Protocol are required to meet its Scope 2 Guidance, as officially amended from time to time by the WRI.

Entities using any other GHG inventory standard recognised under The CarbonNeutral Protocol are subject to The CarbonNeutral Protocol’s original requirements that:

1. Zero emissions may only be claimed when double-counting is avoided. Evidence should be available to establish either that the renewable electricity is not supplied to the national grid in the country concerned; or, that the benefit of the renewable energy is not included within national average grid factors or any other reporting factors
2. Emissions from energy supplied as “green,” “clean,” or “low-carbon” can be treated as zero where the energy consumed has been fully offset by the supplier or a third party using carbon credits that meet the requirements of The CarbonNeutral Protocol

For more information see: RECS International, 2020, *Maximising the reliability and impact of buying renewables: guidance for market participants*, [https://recs.org/app/uploads/documents/Maximising-reliability-and-impact-guidance\\_FINAL.pdf&file\\_type=documents](https://recs.org/app/uploads/documents/Maximising-reliability-and-impact-guidance_FINAL.pdf&file_type=documents).

**Table 10: Illustrative Market-Based Scope 2 Reporting Declaration in Support of CarbonNeutral® Certification**

To ensure that our Assessment Partners are fully informed regarding EAC purchases, and for purchases to be accurately integrated into assessment reports, this declaration is a requirement for CarbonNeutral® certifications involving a market-based Scope 2 claim. Add a column to the table for each contractual instrument claim. For example, each renewable electricity contract, REC or GO purchase would require a separate row of information disclosure.

Reporting Requirements	GHG Protocol Scope 2 Guidance Disclosure	CarbonNeutral Protocol	Consumption country or countries covered by contractual instrument claim	
			(Illustrative) United States	(Illustrative) France
Consumption covered by contractual instruments (MWh)	Recommended	<b>Required</b>	10,000	500
Contractual instrument emission factor (kgCO <sub>2</sub> /MWh)	N/A	<b>Required</b>	0.000	0.000
Category of contractual instrument	<b>Required</b>	<b>Required</b>	Energy attribute certificates	Electricity contracts
Type of contractual instruments	<b>Required</b>	<b>Required</b>	Renewable Energy Certificates (RECs)	Electricity Contracts that convey attributes without certificates
Supplier	N/A	<b>Required</b>	Renewables Team	EDF
Disclosure of the type of supporting evidence	N/A	<b>Required</b>	Attestation record	Evidence limited to tariff description
Contractual instrument disclosures (e.g. location, technology, commissioning year)	N/A	<b>Required</b>	Texan wind, commissioning year not known	Not known
Meets all the relevant Scope 2 Quality Criteria for the contractual instrument	<b>Required</b>	<b>Required</b>	Yes	Yes
To ensure unique claims, has an adjusted residual mix factor been estimated to reflect the contractual claims disclosed here?	<b>Required</b>	<b>Required</b>	Residual mix is not available which may result in double counting between electricity consumers	Residual mix is not available which may result in double counting between electricity consumers
Is this report being used to support a CarbonNeutral certification?	N/A	<b>Required</b>	Yes	Yes

I warrant that all the information provided here is up to date and accurate and that the primary CarbonNeutral certifier can rely on this information as a true and fair summary.

Signature: \_\_\_\_\_ Name: \_\_\_\_\_ Date: \_\_\_\_\_

### 2.4.2 Treatment of Energy Attribute Certificates (EAC) in Scope 3 emissions

This guidance details how EACs may be applied to emissions resulting from:

- Electricity consumption in the use phase of CarbonNeutral® product and product-as-a-service certifications
- Electricity consumption from employee homeworking and remote work
- Transmission & Distribution (T&D) losses

This guidance – first published in January 2022 – is the result of market guidance and is expected to be reviewed and updated once new guidance becomes available from the GHG Protocol and/or other recognised standards.

#### Use phase of CarbonNeutral product and product-as-a-service

The following requirements must be met when EACs are applied to use-phase emissions:

- The emissions to which EACs are applied as part of CarbonNeutral product or CarbonNeutral product-as-a-service certifications must be those from electricity consumption in the use phase

Use-phase emissions must be reduced to zero for the entirety of the product lifespan through the application of EACs and/or carbon credits to ensure a valid CarbonNeutral claim.

- The GHG Protocol Scope 2 Guidance recommends matching the consumption period of electricity to the generation period. Therefore, vintage of EACs must match the period of electricity consumption as closely as possible. If EACs cannot be applied for the entirety of the product lifespan, entities must ensure that emissions from the entire use phase are reduced to zero, either via EACs and/or carbon credits.
- For example, in the case of a product whose lifespan is seven years, if EACs are procured for years 1 and 2 but are unavailable for years 3-7, then carbon credits equivalent to the estimated electricity emissions for years 3-7 must be held in inventory until EACs are purchased and retired. At the end of the certification period, upon reconciliation of the actual product use, a sufficient quantity of EACs and/or carbon credits must be retired.

- CarbonNeutral products and products-as-a-service (PaaS) must calculate emissions for a defined function, as well as the duration and level of the service provided by the product, referred to as the use phase, as defined in the [GHG Protocol Product Life Cycle Accounting and Reporting Standard](#)
- EACs must be retired/cancelled as appropriate for a specific market. The retirement shall be made on behalf of end users of the product or product-as-a-service where practical and possible
- Methodologies and assumptions for determining electricity consumption for the use phase must be provided as described in **Technical Specification 2.2**
- Use-phase emissions must be reported using both a location-based and market-based method (i.e., with and without the application of EACs)

Use phase emissions shall be determined according to the following requirements:

- Primary data must be used where available
- Use data must be attributable to the country/region where the electricity is being consumed by the product or product-as-a-service. Where actual location is not available, a reasonable estimate of the country or region must be made
- Disclosure in the product or product-as-a-service terms and conditions must be made referencing the retirement of EACs on end users' behalf

#### Employee homeworking

The following requirement must be met when EACs are applied to electricity consumption from employee homeworking and remote work:

- The location of the electricity consumption must match the location of the EAC, e.g., US employees must utilise North American RECs

**Table 11: Illustrative Table of Results for CarbonNeutral® Product Certification**

GHG assessment emissions sources		Required or recommended	Included in assessment	tCO <sub>2</sub> e (in kt)	Total tCO <sub>2</sub> e (for estimated # of units)
Category	Emissions source category				
Extraction and processing of raw materials and packaging	Cradle-to-grave or cradle-to-customer embodied emissions of raw materials, <sup>1</sup> inputs to production and packaging	Required	✓	0.1	100
	Inbound deliveries of raw materials and inputs to production	Required	✓	0.05	50
Manufacturing and storage of product and packaging	Direct emissions from on-site fossil fuel use and fugitive emissions	Required	✓	0.1	100
	On-site consumption of purchased electricity	Required	✓	0.2	200
	Emissions from waste disposal	Required	✓	0.02	20
Distribution	Transportation of sold products to first customer	Required	✓	0.01	10
Onward distribution	Onward storage and transportation	Required	✓	0.01	10
Retail	Direct emissions from on-site fossil fuel use and fugitive emissions	Required	✓	0.01	10
	On-site consumption of purchased electricity and/or steam	Required	✓	0.01	10
Use	Use emissions, including maintenance	Required	✓	5	5000
Disposal	Emissions from disposal of sold products at end of life	Required	✓	0.1	100
<b>Total footprint</b>				<b>5.61</b>	<b>5610</b>

**2.4.3 Market-based Scope 2 reporting declaration to support CarbonNeutral® certification**

This guidance details the disclosure requirements for businesses seeking to make a market-based Scope 2 reporting declaration in support of CarbonNeutral® certification. The disclosure only needs to be made when the party supplying the contractual instrument is not the primary CarbonNeutral certifier.

For example, when an entity sources renewable electricity directly from an electric utility to support a Scope 2 reporting claim, it should provide details of the contractual instrument within the disclosure table (Table 10).

The disclosure table will be provided by the CarbonNeutral certifier upon request. A column should be added to the table to account for each contractual instrument claim made within a corporate GHG inventory. Often this will involve engaging the

contractual instrument supplier to determine the appropriate form of evidence that can be supplied to substantiate a market-based claim. The disclosure table should be completed at the time of preparing the GHG inventory and should be signed by a company representative to warrant that the information provided is up to date, accurate and that the CarbonNeutral certifier can rely on the information.

When an entity's location is neither consuming renewable energy nor applying EACs to reduce their Scope 2 emissions, and a published residual mix emissions factor is available, then the residual emissions factor(s) must be applied, resulting in a market-based total for Scope 2 emissions.

### 2.4.4 Energy Attribute Certificate (EAC) Application Protocol for third-party assessment partners

To ensure Assessment Partners and Providers are fully informed regarding EAC purchases, and so they can be accurately integrated into assessment reports, entities should follow the agreed upon EAC Application Protocol. The EAC Application Protocol is a document for use by Assessment Partners and Providers to clarify the process and division of responsibilities to ensure accurate integration of EACs into GHG emissions assessments. For example, the document helps deal with the application of EACs to multiple sites, and EAC deficits and surpluses. Please contact your Client Engagement Manager for further details.

### 2.4.5 How to report GHG emissions from green gas certificates

Green gas certificates are relatively new products that are being adopted by businesses to manage their Scope 1 GHG emissions.

Green gas, known also as biogas, refers to calorific gas produced by the breakdown of organic matter, through anaerobic digestion or fermentation. Feed stocks include biodegradable materials such as manure, sewage, municipal water, green waste and plant material.

Before biogas can be introduced to the gas grid it needs to be upgraded to pipeline quality natural gas standards. This upgraded gas becomes biomethane, which can be used for any purpose currently satisfied by conventional natural gas.

Injecting biomethane into the natural gas grid displaces the need for a unit of conventional natural gas. Therefore, certificates and contracts are the only practical means of tracking the green gas from production to end use. Projects such as the Green Gas Certification Scheme<sup>1</sup> aim to provide a certified means of tracking green gas injected into the grid through to end user consumption claims, similar to renewable electricity tracking schemes such as I-REC (International REC standard) and EECS-GO (European Energy Certificate System – Guarantee of Origin).

Clear guidance on extending market-based reporting approaches to renewable gas is still forthcoming. In their [Technical Note: Accounting of Scope 2 emissions](#), the CDP recommends referring to the GHG Protocol's Scope 2 Guidance when using green gas certificates. Appendix A of the Scope 2 Guidance states:

*Companies may have contracts to receive heat or steam from providers that specify the fuel source and emission rate associated with their received energy. In addition, "green heat" certificates generated from biogenic fuel sources may be issued and traded independently from the energy flows and injection into the distribution grid. Companies shall report emissions from the purchase and use of these energy products the same as for electricity: according to a location-based and market-based method, if the contractual instruments used meet the Scope 2 Quality Criteria as appropriate for gas transactions.*

Section 6.12 of the Scope 2 Guidance goes on to say:

*While biomass can produce fewer GHG emissions than fossil fuels and may be grown and used on a shorter time horizon, it still produces GHG emissions and should not be treated with a "zero" emission factor. Based on the Corporate Standard, any CH<sub>4</sub> (methane) or N<sub>2</sub>O (nitrous oxide) emissions from biogenic energy sources use shall be reported in Scope 2, while the CO<sub>2</sub> portion of the biofuel combustion shall be reported outside the scopes. In practice, this means that any market-based method data that includes biofuels should report the CO<sub>2</sub> portion of the biofuel combustion separately from the scopes.*

**Table 12a: Reporting 10,000 MWh of Natural Gas Consumption**

Market-based corporate GHG Inventory (tCO <sub>2</sub> e)	CO <sub>2</sub> Carbon Dioxide	CH <sub>4</sub> Methane	N <sub>2</sub> O Nitrous Oxide	Total CO <sub>2</sub> e Carbon Dioxide Equivalent
<b>Scope 1 Emissions</b>				
Natural gas consumption – 10,000 MWh	1,838.08	2.59	0.96	<b>1,841.64</b>

<sup>1</sup> Green Gas Certification Scheme. Available at: <https://www.greengas.org.uk/>.

**Table 12b: Reporting 10,000 MWh of Biomethane Consumption Evidenced by Green Gas Certificates**

Market-based corporate GHG Inventory (tCO <sub>2</sub> e)	Biogenic CO <sub>2</sub> Carbon Dioxide	CH <sub>4</sub> Methane	N <sub>2</sub> O Nitrous Oxide	Total CO <sub>2</sub> e Carbon Dioxide Equivalent
<b>Scope 2 Emissions</b>				
Biomethane consumption* – 10,000 MWh	0.00		3.95	<b>3.95</b>
<b>Biogenic Emissions</b>				
Biomethane consumption* – 10,000 MWh	1,990.08	0.00	0.00	<b>1,990.08</b>

\*The GHG Protocol requires fugitive CH<sub>4</sub> (methane) and N<sub>2</sub>O (nitrous oxide) emissions from biomethane combustion to be reported under Scope 2 as these fugitive emissions were not captured during the growth of the biomass. The biogenic CO<sub>2</sub> emissions that were captured during the growth phase of the biomass have been reported separately to Scopes 1, 2 or 3.

Applying this to the use of biomethane delivered through the gas pipeline, we anticipate the following impacts on a company's GHG report:

- Scope 1 CO<sub>2</sub> emissions can be reported as zero for biomethane consumption, i.e., for each thermal unit matched to a green gas certificate. This biogenic CO<sub>2</sub> represents the carbon sequestered during the growth of the biomass
- Biogenic CO<sub>2</sub> emissions must be reported outside of Scopes 1, 2 or 3, as an addendum to the company's GHG inventory
- To fully account for a site's GHG impact, fugitive CH<sub>4</sub> and N<sub>2</sub>O emissions from biomethane combustion must be reported under Scope 2. Unlike CO<sub>2</sub>, these fugitive emissions are not captured during the growth of the biomass and therefore need to be reported as a Scope 2 emission

**Table 12b** illustrates how this would apply to a site in London, using the UK relevant factors published by BEIS<sup>1</sup>. For biomethane, these factors combine the CH<sub>4</sub> and N<sub>2</sub>O emissions into a single factor, which is marginally higher than the fugitive CH<sub>4</sub> and N<sub>2</sub>O emissions associated with natural gas combustion.

Additional guidance from the 2020 CDP Technical Note on the use of green gas certificates include:

- Green gas certificates should be a legitimate and legally enforceable means of transacting property rights and claims to biogenic or renewable fuel attributes of gas production in a specific market
- Use of gas certificates should be limited to users on the same pipeline network who can physically receive gas from gas plants on that network

## 2.5 Aviation

### 2.5.1 Calculating the climate impact of aviation

The purpose of this guidance is to set out how The CarbonNeutral Protocol considers the global warming impact of aviation, and to clarify the accounting method to be applied to the emerging use of Sustainable Aviation Fuels (SAFs).

#### How The CarbonNeutral Protocol addresses climate impacts from aviation

The CarbonNeutral Protocol recognises the strengthening scientific consensus that high altitude climate impacts from aviation are greater than the impact of recognised GHG emissions alone. This includes but is not limited to: short and long term impacts from GHGs alone and others with global warming influence (including for example, soot particles and aviation induced clouds); and, direct and indirect impacts (for example, the interaction of NOx with methane gases and ozone at high altitudes).

<sup>1</sup> UK Government Department for Business, Energy and Industrial Strategy, 2021, *Greenhouse Gas Reporting: Conversion Factors*, <https://www.gov.uk/government/publications/greenhouse-gas-reporting-conversion-factors-2022>.

### Guidance on accounting for the global warming impact of emissions from aviation

From 2014, The CarbonNeutral Protocol invited clients to consider a precautionary factor, the Aviation Impact Factor (AIF) greater than 1 to more fully reflect non-GHG contributions to global warming, also referred to as Radiative Forcing. In 2021, The CarbonNeutral Protocol introduced the requirement to apply a minimum AIF to all emissions from aviation.

The AIF was introduced and mandated at a time of lack of guidance and clarity in existing standards and frameworks. Whilst the science of impacts of aviation continues to evolve, there is increasing consistency in standards and frameworks for its treatment in corporate GHG accounting. For example, the Science Based Targets initiative removed the requirement to account for non-GHG warming effects in its target setting methodologies. As such, it has become clear that the application of a separate AIF is misaligned.

As a result, The CarbonNeutral Protocol no longer requires an adjustment to emissions from aviation with the application of an AIF. Instead, organisations should consider how conversion factors applied during the calculation of emissions from aviation account for Radiative Forcing.

For example, the emissions factors from the UK Government publish factors for emissions from aviation including Radiative Forcing<sup>1</sup>. The United States Environmental Protection Agency (EPA) published its most recent version of its Emission Factors Hub in March 2023, which bases the aviation-related factors on guidance from the 2022 Guidelines to Defra / DECC's GHG Conversion Factors for Company Report.

The CarbonNeutral Protocol highly recommends that organisations use emissions factors that include impacts of Radiative Forcing.

### Interpreting guidance on impacts on climate from aviation into The CarbonNeutral Protocol

Climate Impact Partners first reviewed the science underpinning the climatic impact of aviation in 2009, when it commissioned Professor John Murlis to provide guidance on the issue. The 2009 review, and its subsequent updates<sup>2</sup>, highlighted that complex atmospheric chemistry associated with high altitude emissions of GHGs, other gases and effects, such as short-lived contrails and cloud formation, supported the view that the impact of aviation on climate may be greater than from recognised GHGs.

The CarbonNeutral Protocol recommends but does not require organisations to account for Radiative Forcing for two main reasons:

1. The scientific evidence, although strengthening, is still associated with some uncertainty in its ability to take accurate account of the wider impacts of aviation on climate.

Although knowledge of the processes at play is strengthening, the scale of impacts remains in some important cases, subject to wide confidence limits. This is particularly the case for impacts of contrail induced cirrus clouds.

2. There is no publicly accessible record of climate regulations or compliance regimes applying an AIF greater than one for emissions from aviation.

The EU's Emission Trading Scheme for aviation considers only emissions of carbon dioxide. DEFRA, the UK Government ministry responsible for environmental affairs, has provided internationally recognised guidance in support of a multiplier factor of 1.9. This factor is not actively applied within UK regulatory programmes, nor to any voluntary action on climate mitigation by the UK Government and its ministries. The aviation sector's plans for a global carbon offset scheme to ensure carbon neutral growth from 2027 – the Carbon Offsetting and Reduction Scheme for International Aviation (CORSIA) – also considers only carbon dioxide emissions.

The CarbonNeutral Protocol will continue to review the impact of aviation annually to align to best practice, including the outcomes of the ongoing consultations to The GHG Protocol Standard and related guidance.

<sup>1</sup> UK Government Department for Business, Energy and Industrial Strategy, 2021, *Greenhouse Gas Reporting: Conversion Factors*, <https://www.gov.uk/government/publications/greenhouse-gas-reporting-conversion-factors-2022>.

<sup>2</sup> Climate Impact Partners, 2021, *Guidance to Climate Impact Partners on the Treatment of Offsetting for Air Travel in The CarbonNeutral Protocol*, [www.carbonneutral.com/aviation-guidance-in-full](http://www.carbonneutral.com/aviation-guidance-in-full).

### Accounting for the use of Sustainable Aviation Fuels

The guidance above is based on the use of the conventional liquid hydrocarbon fuels (LHF) available widely for aviation. However, in light of the Paris Agreement's 1.5°C warming target, the aviation industry, in partnership with the International Civil Aviation Organisation (ICAO), has now adopted a set of goals to reduce aviation's climate impact.

The measures required to reach these goals include operational changes to achieve more fuel-efficient routing of flights, more fuel-efficient aerodynamic aircraft design and changes to the aviation fuels in use. Of these, it is expected that changes to aircraft fuel will produce the greatest contribution to reduction targets, with the progressive reduction of the proportion of conventional LHF used through the introduction of Sustainable Aviation Fuels (SAF).

SAFs come in many forms, including hydrocarbons produced from renewable or waste feedstocks and a range of alternative fuels including hydrogen or electricity. Although both hydrogen and electricity are seen as potentially important fuels for the future, considerable further development is required to engines and airframes before they can be widely used. In the short term, SAFs most commonly take the form of blends of conventional LHF and chemically equivalent fuels processed from waste oils, agricultural wastes and biomass feedstocks that can immediately replace LHF.

SAF displaces conventional LHF, replacing the fossil carbon with renewable carbon so that the direct impacts of flights are reduced proportionally to the amount of SAF in the blend. However, the secondary effects of aircraft flights, including impacts of non-CO<sub>2</sub> engine emissions and of the flight itself (contrails and induced cirrus), are currently recognised as of a similar order to their direct impacts — emerging evidence suggests that future assessment may put them on an order of twice the direct impacts of total engine CO<sub>2</sub> emissions. This dilutes the direct benefits of SAF by factor of approximately 2 today, but possibly more in future. There are, then, direct scope 1 gains from the use of SAF, but at current blending levels, they are relatively modest.

While the development and deployment of SAFs is currently limited, its use in commercial flights is growing and expected to increase over time. Clients able to access SAF fuelled flights can account for their impact under the guidance provided in **Guidance 2.7**, subject to availability of reliable use data and appropriately adjusted AIFs.

Clients pursuing increased deployment of SAFs to reduce emissions from their air travel should make themselves aware of the wider sustainability issues associated with the production of SAFs (see Murlis 2021 guidance – [www.carbonneutral.com/aviation-guidance-in-full](http://www.carbonneutral.com/aviation-guidance-in-full)) and seek assurances about the adequacy of environmental safeguards applied to the production of SAF feedstocks.

### 2.5.2 Determining aviation emissions from flight distances

Where exact fuel consumption data is not available for GHG emission calculations, passenger kilometres travelled should be used as a basis for calculation instead. Depending on flight distances, different emissions factors are applicable and are often classified as domestic, short haul, medium haul or long haul. Due to the extreme variability in country sizes, the use of "domestic" classification can be counter-productive when applied to flights within a particular country, using emissions factors provided for use within a different country.

This applies particularly when using DEFRA emission factors for air passenger transport conversion figures in countries other than the United Kingdom.

Therefore, for the purposes of consistency, the following classifications should apply:

- Short haul: Flight distance of less than 785km (DEFRA emission factors for "domestic" should be applied)
- Medium haul: Flight distance between 785km and 3,699km inclusive (DEFRA emission factors for "short-haul international" should be applied)
- Long haul: Flight distances of 3,700km or greater (DEFRA emissions for "long-haul" should apply)

For clarity, these distance classifications should be applied when calculating emissions arising from passenger flights (passenger km) and/or air freight transportation (tonne km). These distance categories **must** be applied internationally, in the absence of robust, country-specific factors.

### 2.6 Materials consumption and waste

#### 2.6.1 Treatment of recycled waste – substitution within GHG assessments

An organisational – or entity-level – GHG assessment is typically an inventory of actual emissions and removals from the atmosphere. The leading guidance for organisational footprinting, the GHG Protocol Corporate Standard, advocates such an approach, known as attributional analysis.

The emission factors used for organisational - or entity - GHG assessments should relate to actual physical emissions or actual physical removals. However, some emission factors include a “crediting” effect for avoided emissions, and are therefore inconsistent with the principle of only counting actual physical emissions and actual physical removals.

Certain national GHG reporting guidelines (e.g. the U.S. Waste Reduction Model), include a substitution effect in the emission factors for recycled waste. The factors include a credit for the avoidance of embodied emissions that would have occurred had the waste not been recycled - i.e. they provide credit for emissions that do not happen. This approach leads to negative emission factors for certain recycled waste streams. The result of including such factors within an entity-level inventory is that the calculated emissions are no longer a true assessment of actual physical emissions and actual physical removals.

GHG emissions associated with recycled waste should be quantified using national, regional, international, or other relevant emission factors, with preference given to national emission factors when they are available. If national emission factors are not available for recycled waste, the next most relevant source of factors must be used.

If the most geographically relevant emission factors take a substitutional approach within their waste stream methodologies, then recycled waste streams can be assumed to produce zero emissions for accounting purposes. “Zero rating” recycled waste is considered appropriate, as an organisation is rewarded with a lower footprint for sending less waste to landfill, whilst maintaining the attributional integrity of their GHG assessment.

#### 2.6.2 Water consumption and waste water treatment

The 2013 revision of the Protocol introduced the inclusion of water consumption and waste water treatment as recommended emission sources for entity level CarbonNeutral® certifications. While the carbon footprint of water consumption and waste water treatment will be a relatively small emission source for most organisations (the water industry typically contributes around 1% of GHG emissions in developed economies), the water industry and its customers have an important part to play in reducing GHG emissions.

For corporates, water should not simply feature within a carbon management plan. Water warrants its own water management plan. A mature plan considers water volume in the context of both water stress and water quality to understand the full impact of corporate water use at the water basin level.

Including water as a recommended emission source in CarbonNeutral® certifications will encourage users of the Protocol to collect volume data and evaluate water use within their carbon management plan. In creating this awareness and disclosure we hope it will encourage corporates to explore more sophisticated water management plans.

## 2.7 How to report GHG emissions from carbon neutral services within a corporate GHG inventory

Businesses are increasingly considering the environmental performance of suppliers as part of their procurement process. If a business has selected a supplier because they provide a carbon neutral service, this guidance sets out best practice with regards to reporting the GHG emissions from the service within the business' annual GHG inventory. Services that are frequently supplied as carbon neutral services include taxis, flights, logistics services, electricity or gas supply. This approach would apply equally to the GHG inventory of a product where components of the product are sourced as carbon neutral products. Given carbon neutral services are more widely available in the market, this guidance focuses on services in the context of an annual corporate GHG inventory.

This guidance aligns with the GHG Protocol's Scope 3 Standard<sup>1</sup> and UK DEFRA's Environmental Reporting Guidelines.<sup>2</sup>

This guidance recommends the following steps:

1. Request suppliers provide a breakdown of the GHG emissions associated with the services consumed

The total gross carbon footprint for a specific time period (e.g. financial year) plus an intensity measure relevant to how the service is consumed. For example, if document storage is outsourced to a cloud-based service, request the figure for CO<sub>2</sub>e emitted per gigabyte per year. The carbon intensity metric is useful for forecasting how GHG emissions will vary based on the level of consumption

2. Confirm if the service purchased is carbon neutral

To deliver a carbon neutral service the provider will need to offset (retire) a volume of carbon credits equivalent to the emissions created by the provision of the service. For example, if the gross footprint of the service equals 10 tCO<sub>2</sub>e, then 10 tCO<sub>2</sub>e of carbon credits need to be purchased and retired, and once retired the net footprint equals 0 tCO<sub>2</sub>e, i.e. the service is carbon neutral. To ensure the service provider is using high quality carbon credits which guarantee emissions reductions from credible project types, you should request that they work with a carbon credit supplier that complies with the requirements set out in **Technical Specification 4.1.1**. If a supplier is not using credits in compliance with the ICROA Code, then those credits cannot be included in support of a CarbonNeutral® certification

3. When preparing a corporate GHG inventory, categorise the carbon neutral service according to requirements of the GHG Protocol standards. To maintain the integrity of the GHG inventory, total GHG emissions should be reported, before reporting a lower figure for net emissions that has been reduced by the retirement of carbon credits by the product or service provider

**Table 14** illustrates how this guidance can be applied to a corporate GHG inventory in order to transparently account for the GHG emissions of carbon neutral services consumed within a reporting period. In this example, the reporting company has sourced three services; electricity, logistics and data hosting, that are offset by their respective suppliers. The GHG emissions of all three services are counted in the total annual GHG emissions figure, and the GHG reduction from the purchase and retirement of carbon credits is then subtracted from this figure. The reporting company then purchases and retires a sufficient number of carbon credits to reduce its remaining net GHG emissions to zero to support a carbon neutrality claim

**Table 14: Illustrative Corporate GHG Inventory for 2022 and 2023**

Corporate GHG inventory (tCO <sub>2</sub> e)	2022	2023
Total annual GHG emissions	10,000	9,000
GHG emissions offset by electricity supplier	(3,000)	(2,500)
GHG emissions offset by logistics provider	(600)	(500)
GHG emissions offset by data hosting provider	(200)	(300)
GHG emissions offset by direct carbon credit retirement	(6,200)	(5,700)
<b>Total annual GHG emissions net of carbon offsets</b>	<b>0</b>	<b>0</b>

<sup>1</sup> Greenhouse Gas Protocol, 2011, Corporate Value Chain (Scope 3) Standard, <https://ghgprotocol.org/standards/scope-3-standard>.

<sup>2</sup> Environmental Reporting Guidelines: including mandatory greenhouse gas emissions reporting guidance.

### 2.8 Using environmental product declarations (EPDs) for CarbonNeutral® products

The 2014 revision of The CarbonNeutral Protocol introduced Environmental Product Declarations (EPDs) as an alternative way to demonstrate achievement of Steps 1 and 2 of the CarbonNeutral® certification process for products. Step 1 covers the definition of the subject and Step 2 covers measurement of the subject’s GHG emissions.

An EPD is a type III environmental label declaring the environmental impacts of a product over its expected life. EPDs can be thought of as the environmental equivalent to nutrition labels for food products, stating a product’s carbon footprint and other environmental impacts such as resource depletion, acidification, and eutrophication. It is a comprehensive, voluntary, internationally recognised report that compiles and standardises technical LCA information, eliminating the need to contend with numerous individual documents.

**Figure 6** demonstrates how the integrity of EPDs is established by the application of a variety of third-party standards and processes:

- The ISO 14025 standard establishes the principles and specifies the procedures for developing type III environmental declaration programmes and type III environmental declarations, specifically EPDs
- The ISO 21930 standard establishes the principles and requirements for type III EPDs of building products
- The EN 15804 is a European standard that provides core Product Category Rules (PCRs) for type III EPDs for any construction product and construction service


- PCRs describe the harmonised LCA-rules for data collection, methodology, calculations and presentation of the results for a specific product category such as pre-fabricated buildings or leather footwear. PCRs are developed in accordance with ISO 14025, and additionally with ISO 21930 and/or EN 15804 for construction products
- LCAs are based upon the parameters set out in ISO 14025, ISO 21930 and EN 15804, and should also be compliant with the ISO 14040 series of standards. The measurement of the carbon footprint should follow the ISO 14067 (the Technical specification for GHGs — carbon footprint of products — requirements and guidelines for quantification and communication)
- Transparency is a key component of EPDs, and upon completion, all EPDs should be publicly registered with an EPD programme operator, in addition to being independently verified
- Programme operators are responsible for maintaining type III EPD programmes, and establishing procedures for the development of Product Category Rules and EPDs

Given the rigour applied to the development of PCRs, the strict requirements of ISO LCA methodologies and the need for independent third-party verification, The CarbonNeutral Protocol recognises that EPDs provide robust, high quality GHG measurement outputs.

There may be minor differences in requirements of The CarbonNeutral Protocol relative to an EPD. EPD product category rules for any given subject will by definition be more relevant to the subject than the general requirements of The CarbonNeutral product certification. Therefore, where there are differences, the EPD prevails and is deemed to have met the requirements of The CarbonNeutral Protocol.

**Table 15** explores some of these requirements in more detail.

**Figure 6: Establishing the Integrity of EPDs**



**Table 15: Comparison of Requirements Between The CarbonNeutral Protocol and EPDs for CarbonNeutral® Product Certification**

Step 1: Define the subject		
	The CarbonNeutral Protocol requirements	EPD requirements <sup>1</sup>
<b>Requirements</b>	The subject to which The CarbonNeutral Protocol is being applied <u>must</u> be clearly defined, by name and by description of the relevant legal and/or physical boundaries. The duration of a CarbonNeutral® certification <u>must</u> also be defined. Where applicable, a start date should be defined. The CarbonNeutral® certification to be applied <u>must</u> also be defined and <u>must</u> be compatible with the subject. The definition of the subject and the certification <u>must</u> be recorded by the CarbonNeutral certifier and the information retained for the purpose of auditing.	Covers The CarbonNeutral Protocol requirements, and goes beyond by requiring, for example, an in-depth description of the functions of the product system, and a description of the cut-off criteria for initial inclusion of inputs and outputs.

Step 2: Measure the subject’s GHG emissions		
Stage	The CarbonNeutral Protocol requirements	EPD requirements <sup>1</sup>
<b>1. Select GHG accounting protocol</b>	The GHG Protocol Product Standard, PAS 2050, ISO 14067 or methods set out in steps 2-7 below <u>must</u> be applied unless the CarbonNeutral certifier identifies valid reasons for using other methods.	The carbon footprint of the product should be based on the ISO 14040 series of standards (or ISO 21930 for building products), and measurement should follow the ISO 14067. EPDs are deemed to match the requirements of The CarbonNeutral Protocol.
<b>2. Define boundary</b>	The boundary <u>must</u> be consistent with the definition of the subject. For cradle-to-customer subjects the boundary <u>must</u> extend to the point of delivery to the first customer. For cradle-to-grave subjects the boundary <u>must</u> extend to end-of-life disposal.	The boundary covered by Product Category Rules (PCRs) extends from cradle-to-grave and is designed to capture material impacts. In some cases it only covers extraction, processing of raw materials and packaging and manufacture (cradle-to-customer, but excluding the distribution to the first customer).
<b>3. Identify emissions sources</b>	Assessments <u>must</u> include emissions sources as specified in <b>Tables 3, 4 and 5</b> for CarbonNeutral® certifications and their specific required assessment emissions sources.	PCRs define the emissions sources which are required for the EPD. These emissions sources are determined by industry and LCA experts, and represent best industry practice. The requirements of EPDs go beyond the detail in <b>Tables 3, 4 and 5</b> of The CarbonNeutral Protocol, therefore they are deemed to meet and exceed The CarbonNeutral Protocol requirements.
<b>4. Identify GHGs to be measured</b>	All GHGs recognised under the UN Framework Convention on Climate Change <u>must</u> be measured in the assessment, insofar as they apply to the subject.	The measurement of all GHG emissions and removals that provide a significant contribution to the carbon footprint of the product system. EPDs are deemed to meet the requirements of The CarbonNeutral Protocol.
<b>5. Establish time periods</b>	For standard consumer products, assessments <u>must</u> at a minimum be every five years, unless a significant change to the product supply chain has occurred, in which case another assessment <u>must</u> be undertaken.  For one-off or custom-produced products the timescale <u>must</u> relate to the production and delivery period.	The validity of the EPD is set at a minimum of five years after which the declaration <u>must</u> necessarily be revised and reissued. EPDs are deemed to meet the requirements of The CarbonNeutral Protocol.

<sup>1</sup> As recommended by ISO 14067.

Step 2: Measure the subject's GHG emissions (continued)		
Stage	The CarbonNeutral Protocol requirements	EPD requirements <sup>1</sup>
<b>6. Determine data validity</b>	<p>Primary data <u>must</u> be used in preference to estimates, where it is available, up-to-date and geographically relevant. Estimates, extrapolations, models and industry averages may be used where primary data is unavailable. When this is done, these assumptions <u>must</u> be recorded by the party carrying out the assessment.</p> <p>A qualitative and/or quantitative description of the uncertainty associated with the client-supplied data should be made. In cases where the quality of client supplied data is not known (e.g. in online calculators), the dependency of results on the quality of input data should be made clear.</p>	<p>Site-specific data shall be collected for individual processes under the financial or operational control of the organisation, and shall be representative of the processes for which they are collected. Site-specific data should also be used where practicable for those unit processes that contribute significantly, but are not under the financial or operational control of the organisation.</p> <p>Data that is not site-specific data, based on global or regional averages, collected by regional or international organisations and which have undergone third-party verification should be used when the collection of site-specific data is not practicable.</p> <p>EPDs are deemed to meet the requirements of The CarbonNeutral Protocol.</p>
<b>7. Measure GHG emissions</b>	<p>The subject's GHG emissions <u>must</u> either be directly measured or quantified using national, regional, international, or other relevant emission factors, with preference given to emission factors most closely associated with the emissions source.</p> <p>The assessment <u>must</u> be reported in units of CO<sub>2</sub>e according to the 100 year potential of each gas. GWP factors applied <u>must</u> be clearly stated in the assessment.</p> <p>Emission sources that are required to be assessed (see <b>Tables 3, 4 and 5</b>) but are estimated to represent less than 2% of the subject's total GHG emissions, but collectively no more than 5% of the subject's GHG emissions <u>must</u> be included, but may be calculated and reported using simplified estimation methods.</p>	<p>Data that are not site-specific data may include literature data, such as default emission factors, calculated data, estimates or other representative data.</p> <p>The potential climate change impact of each GHG emitted and removed by the product system shall be calculated by the 100-year GWP given by the IPCC in units of "kg CO<sub>2</sub>e per kg emission."</p> <p>Include all GHG emissions and removals that provide a significant contribution to the carbon footprint of the product system being measured.</p> <p>EPDs are deemed to meet the requirements of The CarbonNeutral Protocol.</p>
<b>8. Quality assurance</b>	<p>All GHG assessments <u>must</u> either be conducted or checked, and in the case of GHG tools and calculators, be approved, by an Assessment Partner or Provider to ensure they have met the above requirements in this table. Input data (or activity data) used in assessments should also be checked by Assessment Partners and Providers.</p> <p><b>Technical Specification 2.2</b> details requirements and recommendations for the presentation of GHG assessments.</p>	<p>Requires third-party verification. A critical review which ensures consistency between an LCA and the principles and requirements of the international standards on LCA can also be conducted.</p> <p>EPDs are deemed to meet the requirements of The CarbonNeutral Protocol.</p>


<sup>1</sup> As recommended by ISO/TS 14067.

### Requirements for a CarbonNeutral® compliant EPD

1. The EPD must be developed using a suitable PCR which follows ISO 14025 guidelines, and additionally with ISO 21930 and/or EN 15804 if used for construction products
2. The LCA must conform to the ISO 14040 series of standards
3. The EPD must be validated by an independent, qualified third party to ensure it has met the necessary requirements

**Figure 7: Determining if GHG Emissions Assessments Meet the Requirements of The CarbonNeutral Protocol**

This flow-chart sets out some of the procedural elements to evaluate conformance of GHG Emissions Assessments to the requirements of The CarbonNeutral Protocol.



\* Assessment Partner: third-party with a formal agreement with the CarbonNeutral certifier to conduct GHG assessments on behalf of clients in accordance with the requirements of The CarbonNeutral Protocol. Assessments conducted by Assessment Partners are accepted as CarbonNeutral Protocol compliant without additional review. Assessment Partners include: RSK, Ecometrica, Turley.

\*\* Attestations will be accepted from Assessment Providers, subject to review and approval by the CarbonNeutral certifier, where Assessment Providers are deemed to have sufficient and appropriate experience and expertise to undertake a high quality, compliant review and the attestation has been completed satisfactorily.

# Step 3: Target Technical Specification

## 3.1 Approved emission reduction strategies and/or targets

### Purpose

This section specifies which internal abatement strategies and/or targets must be in place for entities with annual footprints over a certain size.<sup>1</sup>

In order to receive a CarbonNeutral® certification (including entity, product or activity certifications), clients with annual company footprints over 100,000 tCO<sub>2</sub>e must have set one of the approved emission reduction strategies and/or targets set out in **Table 17**. This applies even if the subject of the certification is less than 100,000tCO<sub>2</sub>e.

From 2024 onwards, the threshold will reduce by 10,000 tCO<sub>2</sub>e each year to 10,000 tCO<sub>2</sub>e by 2032. This requirement is in place to ensure that organisations with increasingly smaller carbon footprints have put in place robust abatement strategies, to support credible climate-related claims.

These strategies and/or targets must be specified in the client’s CarbonNeutral® Certification Target and Reduce Form (see **Technical Specification 3.2**).

This Technical Specification is reviewed annually to ensure it reflects developments in best practice and the performance of internal abatement initiatives.

**Table 16: The Evolution of Annual Company Footprint Threshold Requiring an Approved Emissions Reduction Strategy**

CarbonNeutral Protocol Year	Annual Company footprint threshold (tCO <sub>2</sub> e)
2022	100,000
2023	100,000
2024	90,000
2025	80,000
2026	70,000
2027	60,000
2028	50,000
2029	40,000
2030	30,000
2031	20,000
2032	10,000

<sup>1</sup> As defined by CarbonNeutral company certification.

**Table 17: Approved Emission Reduction Strategies and/or Targets**

Approved emission reduction strategies and/or targets	Status	Organisation
CDP Climate Change Score	D or above	CDP
Science-Based Target	Target Set or Committed	Science-Based Target initiative (SBTi)
Net Zero	Target Approved under Net-Zero Corporate Standard	Science-Based Target initiative (SBTi)
Race to Zero	Member	United Nations Framework Convention on Climate Change (UNFCCC) official Race to Zero partners. These are: The Climate Pledge, Business Ambition for 1.5 (SBTi), Business Declares, Exponential Roadmap Initiative, Planet Mark, SME Climate Hub*, B Corp Climate Collective**

\* Small and medium sized businesses only. \*\* B Corporations only.

### 3.2 CarbonNeutral® Certification – Target and Reduce Form

This Target and Reduce Form may be revised from time to time within the annual Protocol publication cycle. Visit [www.carbonneutral.com/target-and-reduce-form](http://www.carbonneutral.com/target-and-reduce-form) for the most up to date version.

# Target and Reduce Form

As set out in Core Requirements: Step 3: Target of the Protocol:

- All certifying entities must specify any internal abatement targets they have for the emissions covered by their certification
- All certifying entities with an annual company footprint (as defined by CarbonNeutral company certification) of 100,000 tCO<sub>2</sub>e or more must have set one of the third-party internal abatement strategies and/or targets set out in **Technical Specification 3.1**.

This Target and Reduce Form serves to ensure that Climate Impact Partners obtains the required information necessary to license a CarbonNeutral® certification logo under the provisions of The CarbonNeutral Protocol.

If the information requested in this section is documented elsewhere (in whole or in part, e.g. a CDP submission), you may attach such document(s) in lieu of completing this form or the applicable portion(s) thereof:

Name: \_\_\_\_\_

Job title: \_\_\_\_\_

Company: \_\_\_\_\_

CarbonNeutral® certification type: \_\_\_\_\_

Does your company have an annual company footprint of 100,000 tCO<sub>2</sub>e or more (as defined by CarbonNeutral company certification)?

**If “Yes”, please indicate which of the following internal abatement strategies and/or targets you have set or achieved:**

- CDP Climate Change Score D or above
- Science-Based Target (Set or Committed)
- Net Zero Target (Set or Committed)
- Race to Zero Membership\*

**If “No”, please answer the following questions:**

Is there a longer-term abatement / reduction target (or targets) for the GHG emissions covered by your certification?\*\*\*

Yes/No  
If “Yes”, please specify Scopes and change targeted

Is the target approved by any particular initiative/ programme and/or independently verified on a regular basis?

Yes/No  
If “Yes”, please specify \_\_\_\_\_



\* Through one of the official partners approved by the United Nations Framework Convention on Climate Change (UNFCCC): The Climate Pledge, Business Ambition for 1.5 (SBTi), Business Declares, Exponential Roadmap Initiative, Planet Mark, SME Climate Hub, B Corp Climate Collective.  
 \*\* For all companies with an annual footprint below 100,000 tCO<sub>2</sub>e, we require that you specify internal reduction targets relating to the footprint covered by your CarbonNeutral certification. This information is required. If you do not have any targets, please put “no target”. Internal reduction targets may cover a wider scope of your footprint than that covered by your certification.

## Step 3: Target Guidance

### 3.3 Setting internal reduction targets

The CarbonNeutral Protocol does not mandate what level of internal reduction should be targeted in order to achieve CarbonNeutral status with the exception of those outlined in section 3.1. As outlined in **Guidance 4.3**, organisations are encouraged to use established management tools to identify the appropriate balance between internal reductions and the use of offsets to achieve carbon neutrality cost-efficiently and in ways that deliver strategic value.

While the MAC curve approach (see **Guidance 4.3**) helps an organisation prioritise its reductions options, it does not necessarily align the organisation's internal reduction efforts with the UNFCCC Paris Agreement's call for global emissions reductions to limit average global temperature rise to well below 2°C above pre-industrial levels, in order to significantly reduce the risks and the impacts of global climate change.

Therefore, organisations should consider the option of establishing internal reduction targets that align with scientifically established emission reduction trajectories that can deliver a stable climate. For example, the Science Based Target (SBT) initiative, a collaborative initiative by CDP, World Resources Institute (WRI), the World Wide Fund for Nature (WWF) and the United Nations Global Compact (UNGC), provides guidance on science-based target setting to encourage and support companies in the transition to a low-carbon economy.

### 3.4 Net zero targets

#### Purpose of this Guidance

Historically the terms carbon neutral and net zero have been interchangeable, but recently greater clarification on what net zero could and should mean has been published. This guidance provides an overview of the concept of net zero, and sets out three different ways in which CarbonNeutral® certifications support net zero objectives.

#### Net zero concept

Net zero is still a relatively new concept with approaches and definitions being published frequently (See **Net zero** in the Glossary for some of the latest definitions). We anticipate that definitions of net zero will be refined with time and application, and this guidance will be updated in subsequent revisions to the Protocol.

The rising prominence of net zero targets was initiated by The Intergovernmental Panel on Climate Change's (IPCC) Special Report on Global Warming of 1.5°C, which advised of the critical importance of achieving net-zero emissions as soon as possible to improve the probability of limiting warming to 1.5°C. Adoption of net zero by the private sector is driven in large part by the desire to align with the ambition set out in the Paris Agreement of net zero emissions by or before 2050, and the growing number of nations which have refined their national climate plans to target the same.

2022 research by Climate Impact Partners into the Fortune Global 500 found that 38% (188) of companies have a net zero target, up from 25% (127) a year ago. Most targets are set for between 2031 and 2050 (31% of all companies), whereas 8% have set a net zero target to be achieved earlier. This compares to 9% (45) that are carbon neutral today, a further 8% (40) that have a target to be carbon neutral by 2030, and an additional 15% (75) that have a target to be carbon neutral by 2050.

#### How CarbonNeutral certifications support net zero ambitions

There are three main ways in which CarbonNeutral certifications support net zero ambitions:

1. Annual carbon accounting and action on all unabated emissions. Defining and measuring carbon footprints on an annual basis and taking action on unabated emissions are processes that are common in carbon neutral programmes and will be necessary for corporates achieving net zero. Carbon neutrality's requirement to compensate for all unabated emissions through offsetting provides a reference price for GHG emissions that helps entities identify opportunities for deeper internal reductions. In addition to helping an individual organisation become carbon neutral, offsetting unabated emissions to achieve a CarbonNeutral certification finances emission reductions and transformation in the wider economy. According to The Science-Based Targets Initiative's (SBTi) latest work on net zero published in October 2021, "purchasing high-quality carbon credits in addition to reducing emissions along a science-based trajectory can play a critical role in accelerating the transition to net-zero emissions at the global level".<sup>2</sup> 2020 was the first time that this particular coalition of respected environmental NGOs (CDP, WWF, WRI) has positively acknowledged the role of offsetting in a major publication.

<sup>1</sup> Climate Impact Partners, 2022, *If Not Now, When?*, <https://ifnotnowwhen.climateimpact.com/>.

<sup>2</sup> Science Based Targets initiative, 2021, *Beyond Value Chain Mitigation FAQ*, <https://sciencebasedtargets.org/resources/files/Beyond-Value-Chain-Mitigation-FAQ.pdf>, page 3.

2. Increasing removals. For an organisation to achieve a net zero target, unabated emissions are offset through removal projects, e.g. natural climate solutions such as forests that remove carbon from the atmosphere (“neutralisation measures” in SBTi language). To align CarbonNeutral certifications with a net zero target, organisations must increase the proportion of removals in their offset portfolio until all unabated emissions are offset only with removal projects. Boston Consulting Group exemplifies this approach, with its commitment to steadily increase its portfolio of removal projects while achieving carbon neutrality, on the path to its net zero by 2030 target.<sup>1</sup> (see **Figure 8**).


During the transition to net zero, financing reductions and avoided emissions projects (“compensation measures in SBTi language) continues to play a “critical role in accelerating the transition to net-zero emissions at the global level”. In addition, businesses are also increasingly looking for approaches that integrate climate action with other SDG impacts. Many avoidance and reduction projects deliver quantified impacts for sustainable development such as health and livelihoods, biodiversity conservation, and education. As a result, mixed portfolios of these projects, alongside removal projects which may not have the same level of SDG impact, can offer an optimal solution.

3. Increasing climate action on value chain emissions. When an organisation reaches net zero, it must cover all material sources of GHG emissions within its value chain. Through CarbonNeutral product and service certifications, organisations are moving towards taking responsibility for all sources of emissions. For example, through CarbonNeutral product certification, a company may expand its carbon neutrality from operations towards a broader scope as part of its target to be net zero by 2030 (see **Figure 9**).

Further information can be found at: Science Based Targets Initiative (SBTi), 2021, *SBTi Corporate Net-Zero Standard*, <https://sciencebasedtargets.org/resources/files/Net-Zero-Standard.pdf>


Science Based Targets Initiative (SBTi), 2021, *Beyond Value Chain Mitigation FAQ*, <https://sciencebasedtargets.org/resources/files/Beyond-Value-Chain-Mitigation-FAQ.pdf>

**Figure 8: How CarbonNeutral Certifications Support Net Zero Ambitions: Increasing Removals**



This chart is a visual representation of a steady transition to net-zero climate impact, and does not present actual or forecasted emissions data

**Figure 9: How CarbonNeutral Certifications Support Net Zero Ambitions: Using CarbonNeutral Product Certification to Start Taking Climate Action on Entire Value Chain Emissions**



This chart is a visual representation of a steady transition to net-zero climate impact, and does not present actual or forecasted emissions data

<sup>1</sup> BCG, 2021, *BCG's Net-Zero Pledge, One Year Later*, [www.bcg.com/publications/2021/net-zero-pledge-one-year-later](http://www.bcg.com/publications/2021/net-zero-pledge-one-year-later).

### 3.5 Climate (or carbon, or net) positive

A growing number of corporates are exploring terms and concepts that address the perceived limitations of neutrality, which can imply no net gain for the climate. The most common terms in this space include 'carbon positive', 'carbon negative' and 'climate positive'. 'Carbon positive' and 'carbon negative' are used to indicate a net removal or reduction of carbon dioxide from the atmosphere. This is a source of potential confusion. 'Carbon positive' can be read as numerically positive emissions (bad for the climate); and, 'carbon negative' is limited because it defines a good action in the negative. To limit confusion, we refer to all concepts that seek to convey net gain with the generic term 'climate positive'.

In 2022, we conducted our fourth annual study into the climate commitments of the Fortune Global 500, finding that only 1% of companies had climate positive targets.<sup>1</sup>

Many climate positive actions and targets lack the structural integrity of other actions such as CarbonNeutral® certification. Some have complex or ill-defined goals, and an accepted global definition of what constitutes climate positive is still not agreed."

Our working definition of 'climate positive' is 'a term indicating that an entity is taking or causing action beyond carbon neutrality by removing GHGs from the atmosphere or reducing emissions to the atmosphere such that the aggregated reductions and removals exceed the unabated emissions from the subject'.

The certification class we use for CarbonNeutral® certifications (Entity, Product, Activity) is also helpful here because some 'climate positive' targets apply to individual products not the whole business.

Climate Impact Partners' research currently defines three main 'climate positive' archetypes for entities, products and activities to go beyond neutral greenhouse gas emissions (GHG).

These are as follows:

1. 'Over-offsetting' the subject's footprint by a given percentage
2. Deploying technology or solutions within the value chain that reduce GHG emissions e.g. producing and distributing more renewable energy than is consumed by the providing entity
3. Deploying technology or solutions within the value chain to sequester GHG emissions

Some businesses choose to focus on only one of the above archetypal methods, while others pick a range of actions to become positive. There is also variability as to how much the actions to become positive are integrated into the organisation's wider sustainability plan.

The concept of net gain is attracting interest and with wider use is becoming better defined and understood. However, there is no working definition that - as yet - meets all the Principles that underpin The CarbonNeutral Protocol (see Introduction), especially the second principle of claims built on conservative estimation, best practice, transparency and continuous improvement.

For that reason, caution is advised in making public claims around climate positive.

---

<sup>1</sup> Climate Impact Partners, 2022, *If Not Now, When?* <https://ifnotnowwhen.climateimpact.com/>.



# VMWARE ACHIEVES MAJOR MILESTONE ON JOURNEY TO NET POSITIVE GLOBAL IMPACT

**DEFINE:** CarbonNeutral® company first certified in 2018 after making its data centre CarbonNeutral in 2017

**MEASURE:** Total GHG emissions for global operations arising from owned, leased or directly controlled stationary and mobile sources that use fossil fuels and/or emit fugitive emissions from the generation of purchased electricity, heat and cooling; and emissions from waste, business travel, employee commuting and home office emissions

**TARGET:** VMware is committed to carbon neutrality as it works towards achieving net zero as part of its 2030 Agenda and ESG strategy. The company has commitments to long-term sustainability, accountability and transparency in the management of its environmental footprint

**REDUCE:** CarbonNeutral company certification was achieved two years ahead of schedule through a combination of internal energy efficiency initiatives, purchases of renewable energy including through high quality energy attribute certificates (EACs), and financing high impact emission reduction projects which deliver significant co-benefits to sustainable development. The projects included a water filtration and improved cookstoves project in Guatemala, and an improved cookstoves project in India

**COMMUNICATE:** Certifying as a CarbonNeutral company is one of VMware's major milestones as it walks the path towards net zero, and supports its commitment to transparency and credibility. The company has communicated its commitments and achievements through a variety of channels: blogs, social media, internal webinars, and ESG reporting

# Step 4: Reduce Technical Specifications

## 4.1 Approved Environmental Instrument Standards

### Purpose

This section specifies the criteria for use of environmental instruments in CarbonNeutral certifications and which instruments meet the criteria.

### 4.1.1 Carbon credits

#### Criteria

All carbon credits used towards the achievement of CarbonNeutral® certification must meet the following criteria:

**Additional:** An emission reduction project is said to be additional when it can be demonstrated that in the absence of the availability of carbon finance the project activity would not have occurred (the “baseline” scenario); and, such baseline scenario would have resulted in higher GHG emissions.

Each eligible carbon accounting standard under The CarbonNeutral Protocol provides tools for how additionality at a project level is tested and demonstrated. For further discussion of this topic, see **Guidance 4.4**.

**Legally attributable:** Carbon credits must have a clear record of ownership from project owner and thereafter.

**Measurable:** Emissions reductions are quantified relative to a transparent and robust baseline scenario using recognised, peer reviewed, published methods and project-specific data; or, using recognised performance standard procedures.

**Permanent:** Emissions reductions are permanent. Where reductions are generated by projects that carry risk of reversal, adequate safeguards must be in place to ensure that the risk of reversal is minimised and that, if any reversal occurs, a mechanism is in place that guarantees the reductions will be replaced.

**Unique:** Emissions reductions are held and retired on a registry to ensure that no more than one carbon credit can be associated with a single emission reduction.

**Independently verified:** Emissions reductions are verified by an expert third party qualified to verify carbon credits to ensure the criteria above have been met.

#### Further considerations

Emission reduction projects have effects in addition to GHG emission reductions. While many projects have positive co-benefits, some may have negative impacts. Carbon credit standards accepted by The CarbonNeutral Protocol have requirements that material negative impacts should not arise from emission reduction projects.

#### Approved carbon credit standards and project types

Carbon credits verified under the standards set forth in **Table 18** have been determined to be additional, legally attributable, measurable, permanent, unique and independently verified, and therefore are qualified for use as external environmental instruments to reduce a subject’s GHG emissions. This list of standards is reviewed annually and updated from time to time to reflect developments in best practice and the performance of carbon credit standards.

In general, any mitigation project recognised under the standards is accepted under the Protocol, and carbon credits are treated equally across standards, vintage and project types. There are exceptions to this general approach, as set out below which identifies projects types that are not accepted under the Protocol and the reasons for the exclusions.

**Table 18: Approved Carbon Accounting Standards**

Approved standard	Type of carbon credits generated
American Carbon Registry	Emission Reduction Tonnes (ERTs)
ART Trees	TREES Emission Reductions (ERs)
Australian Emissions Reduction Fund (ERF) <sup>1</sup>	Australian Carbon Credit Unit (ACCU)
Climate Action Reserve	Climate Reserve Tonnes (CRTs)
Global Carbon Council	Approved Carbon Credits (ACCs)
Gold Standard for the Global Goals <sup>2</sup>	Gold Standard Voluntary Emission Reduction (VER) credits
Japanese Credit Scheme <sup>3</sup>	J-Credits
Kyoto Protocol's Clean Development Mechanism (CDM)	Certified Emission Reductions (CERs)
Plan Vivo	Plan Vivo Certificates (PVCs)
Puro Standard	CO <sub>2</sub> Removal Certificate (CORC)
UK Peatland Code <sup>3</sup>	Peatland Carbon Units (PCUs)
UK Woodland Carbon Code <sup>3</sup>	Woodland Carbon Units (WCUs)
Verified Carbon Standard (VCS)	Verified Carbon Units (VCUs)

<sup>1</sup> This was previously known as Australian Carbon Farming Initiative.

<sup>2</sup> Only credits issued for reductions up to 31st December 2020 can be used. See **Guidance on Corresponding Adjustments** for more information.

<sup>3</sup> These are domestic standards and are only acceptable for domestic footprints.

### Exceptions

If the carbon credits from these standards are not in accordance with all of the criteria covering carbon credits - legally attributable, measurable, permanent, unique and independently verified – they **must not** be used for offsetting. As a consequence Forward Mitigation Units from CAR, ex-ante forestry credits under GS, Pending Issuance Units (PIUs) under the UK Woodland and Peatland code and t-CERs and I-CERs under the CDM are not acceptable.

### Removal carbon credits

The Protocol treats mitigation projects that avoid and reduce emissions and those that remove GHGs from the atmosphere as equal. The logic underpinning this approach is the 'overflowing bath-tub' analogy. With the taps on, a balance is achieved either by turning down the taps (avoid or reduce emissions) or by draining an equal amount down the plug (removing emissions from the atmosphere and capturing them in carbon sinks). Both approaches have a critical role to play in mitigating climate change. However, as we get closer and closer to the safe limit of GHG concentrations in the atmosphere, clients should consider an increasing role for removal projects.

### Excluded project types

For reasons laid out in **Guidance 4.7**, the following project types **must not** be used towards the achievement of CarbonNeutral® certification, although they are recognised under some carbon credit standards in **Table 18**:

- Conventional (i.e. dammed/non run-of-river) hydro-electric power projects with an installed capacity greater than 20MW, unless a qualified independent third party assures compliance with the World Commission on Dams (WCD) sustainability criteria or equivalent assessment introduced by the underlying carbon standard
- HFC-23 destruction projects and N<sub>2</sub>O destruction projects where N<sub>2</sub>O is the by-product of the industrial processes to produce adipic acid or nitric acid

### 4.1.2 Approved Energy Attribute Certificate (EAC) standards

Under the provisions of the GHG Protocol Scope 2 Guidance, entities may purchase and retire EACs to support a zero-emission grid factor for Scope 2 emissions. For non-owned renewable energy consumption, EACs are the most credible evidence, and claims without EACs in geographies where they are available are questionable / potentially problematic.<sup>1</sup> However, as the GHG Protocol is a respected third-party carbon accounting standard, its Scope 2 guidance is accepted under The CarbonNeutral Protocol.

<sup>1</sup> For a critical review of accounting approaches for renewable energy, refer to: Brander, Gillenwater, and Ascui, 2018, *Creative accounting: A critical perspective on the market-based method for reporting purchased electricity (scope 2) emissions*, <https://www.sciencedirect.com/science/article/pii/S0301421517306213?via%3Dihub>.

**Table 19** lists the EAC standards that are acceptable for a Scope 2 or Scope 1 claim within a CarbonNeutral programme that follows the market-based GHG accounting approach defined by the GHG Protocol Scope 2 Guidance. It is not an exhaustive list, rather it details those EACs in most common use within CarbonNeutral programmes.

EAC programmes generally prescribe applicable validity periods. In cases where validity periods are not prescribed, EACs issued within 1 year of the period covered by the CarbonNeutral certification must be used.

### Third-party certification and labelling of EACs

In some markets, a third party may also certify EACs based on an established standard that specifies a set of criteria which can be applied to determine which certificates can receive the label. The criteria used to define a subset of eligible EACs are typically based on technology or the commissioning date of the renewable energy facility.

Aligning procurement decisions with these criteria demonstrates impact that goes beyond the least-cost EAC solution. Examples of voluntary certification programmes commonly used within CarbonNeutral programmes include Green-e Energy in North America and EKOenergy, which is a global EAC label.

### 4.2 Recognised non-carbon accounting standards

The non-carbon accounting standards listed in **Table 20** are those designed to complement carbon credit standards to provide measurable and independently verified assessment of the positive environmental, social, and economic benefits of carbon reduction projects (also known as “co-benefits”). These standards should be used to evaluate and communicate the co-benefits of emission reduction projects.

**Table 19: Approved Energy Attribute Certificate (EAC) Standards**

Approved Standard / Governing Body	Type of EAC Generated	Geographical Area Covered	Scope Covered
North American State and Regional level certificate tracking systems	Renewable Energy Certificates (RECs)	North America (U.S. and Canadian territories)	2
International REC (I-REC) Standard	I-RECs	51 countries across Asia, Latin America, Middle East and Africa <sup>1</sup>	2
Climate Impact Partners	PowerPlus™	India, Japan, South Korea	2
APX	Tradable Instruments for Global Renewables (TIGRs)	10 countries across Asia and Latin America	2
European Energy Certificate System (EECS)	Guarantee of Origin (GO)	27 countries in Europe	2
Ofgem (Office of Gas and Electricity Markets)	Renewable Energy Guarantee of Origin (REGO)	United Kingdom (UK)	2
The Renewable Energy Act 2000 – Federal Law Australia	Small-scale Technology Certificates (STCs)	Australia	2
Green Power Certification, administered by the Green Energy Certification Center, Japan	Green Power Certificates	Japan	2
Green Gas Certificate Standard (GGCS)	Renewable Gas Guarantee of Origin (RGGO)	United Kingdom (UK)	1

<sup>1</sup> I-REC Standard, accessed January 2023.

**Table 20: Recognised Non-carbon Accounting Standards**

Recognised non-carbon accounting standards	
Climate, Community and Biodiversity Alliance (CCBA)	Forest Stewardship Council Ecosystem Services
The SOCIALCARBON® Standard	W+ Standard by Women Organizing for Change in Agriculture and Natural Resource Management (WOCAN)
Forest Stewardship Council certification	
SD Vista	

# Step 4: Reduce Guidance

## Purpose

This section provides more detailed advice and clarification on selected topics relating to internal reductions and the use of environmental instruments.

### 4.3 Evaluating internal GHG reduction projects


CarbonNeutral® certification is an action that represents immediate positive impact on GHG emissions. Clearly over time the goal of each organisation should be to reduce GHG emissions to zero, through the application of energy efficiency, switching to renewable energy and through technological innovation. It is our experience that leading organisations use external environmental instruments in parallel with internal reductions as part of the transformation journey and to bridge the gap towards stretching and impactful reduction targets.

The CarbonNeutral Protocol recommends that for all subjects the client should develop a GHG reduction plan to deliver internal emissions reductions, taking into consideration the main sources of GHGs from the subject and the likely cost-effectiveness of alternative emission reduction projects. With time, technological innovation has the ability to make low carbon projects viable. Understanding this project landscape and how much an organisation can invest in low-carbon transformation without impacting competitive performance are important inputs to an effective carbon reduction plan.

An excellent framework to assist organisations in evaluating a range of internal GHG reduction projects is marginal abatement cost analysis, an economic concept that measures the cost of reducing one more unit of GHG emissions. Marginal abatement costs are presented on a marginal abatement cost curve or MAC curve, a graphical representation of the cost and scale of GHG reduction projects. While there are many more aspects to consider beyond scale and cost, they are useful tools to guide corporate decision making among a variety of GHG reduction projects.

Figure 10 illustrates a MAC curve. Each rectangle on the MAC curve represents a different project to reduce GHG emissions. The width of each box represents the emission reduction potential a project can deliver compared to business-as-usual, and the height of each box represents the average cost of reducing one tonne of GHGs through that project. The MAC curve is ordered left to right on a per tonne basis from the lowest cost to the highest cost projects. Projects that appear below the horizontal axis have a negative cost, meaning the low carbon project saves more money than it costs. Projects that appear above the horizontal axis have a positive cost. Corporate MAC curves often rise steeply as more GHGs are reduced.

Figure 10: Illustrative MAC Curve



To plot a project on a MAC curve you need to perform a calculation that considers the lifetime costs and GHG reductions of the project. **Table 21** illustrates the calculation for a project to replace desktops with laptops. For this project the marginal abatement cost is \$50 per tonne, which would be the height of the box on the MAC curve. The width of the box illustrates the scale of the reduction, which in this case is determined by the number of desktops replaced. Each laptop saves 0.4 tonnes of CO<sub>2</sub>e, so a business replacing 2,000 desktops would save 800 tonnes of CO<sub>2</sub>e. This reduction in GHG emissions is measured relative to the business-as-usual baseline of running desktops for the next four years.

For most subjects, the client will have a number of projects with a negative cost of carbon. The more reduction projects a client has implemented the greater the marginal cost of further reduction becomes. Optimising heating and cooling temperatures is a project with a negative cost of carbon: simply questioning if the heating needs to be so high, or if the air-conditioning needs to be so low, can yield savings and setting temperature policies can then lock in these savings without incurring significant costs.

When it comes to selecting projects to implement, aspects beyond the scale of the reduction and cost per tonne should be considered, and each project will have a unique set of considerations. Keeping with the laptop example, the ability to work remotely and the impact on data security policies should feature within decision making and may impact the cost if data security resources need to be increased. The administrative burden of implementing a project is another important dimension to consider and such costs can be factored into MAC data. The scale of reductions from introducing laptops is determined by the number of employees that receive new

laptops, which is a function of the number of employees, while the administrative burden of adapting policies to facilitate remote working and data security is relatively constant. On this basis, the project might only make sense for a company with a large number of desktop computers to replace where the aggregate reductions are sufficient to justify the administrative burden of implementing the project.

It stands to reason that projects with a negative cost of carbon should be implemented as they improve the bottom line. As clients implement the low-hanging fruit and progress towards their emission reduction target, it becomes increasingly expensive to achieve incremental reductions and there is a point on the MAC curve where it becomes more cost effective to look externally for emissions reductions. The use of environmental instruments, including carbon credits, is the mechanism for implementing external emissions reductions, where an organisation sources and retires credits from verified emission reduction projects.

An impactful carbon reduction plan is a plan that meets a GHG reduction target in the most cost effective way through a combination of internal and external reductions. Marginal abatement cost analysis is a tool to support decision making as part of that planning process. GHG reduction plans should be reviewed periodically to assess progress against planned actions and to assess the feasibility for further reductions, taking into account the availability of new technologies and enabling policies and incentives. GHG reduction plans should be reviewed periodically and, where applicable, a director or senior manager should be given responsibility for overseeing their development and ensuring their implementation.

**Table 21: Illustrative MAC Calculation**

Replacing a desktop PC with a laptop PC has a MAC of ~\$50 / tCO<sub>2</sub>e.

	Value	Unit	Notes
Investment	100	\$	Additional cost of a laptop over desktop
Lifetime of laptop	4	Years	Average lifetime of a laptop
Annual energy saving	200	kWh	Typical office use
Annual energy cost saving	20	\$	\$0.10 per kWh x 200kWh
Lifetime energy cost saving	80	\$	\$20 x 4 years
Annual carbon saving	100	kg CO <sub>2</sub> e	200kWh x 0.537 local grid factor
Lifetime carbon saving	400	kg CO <sub>2</sub> e	100kg CO <sub>2</sub> e x 4 years
Cost of carbon saving	20	\$	\$100 outlay - \$80 energy saving
<b>MAC</b>	<b>50</b>	<b>\$/tCO<sub>2</sub>e</b>	(1000/400) x 20

### 4.4 Elaboration on additionality and baselines

It is essential for any carbon neutral programme to be robust and to offset emissions of the defined subject to zero. This requires that any carbon credits used must have credibly demonstrated additionality during their development process.

The carbon accounting standards which are eligible under The CarbonNeutral Protocol require each project to undergo tests for additionality, which is then checked by an independent third-party auditor during the validation process.

Without well-defined baseline scenarios and additionality tests, any claims of net emissions reductions would lack environmental integrity (i.e. they would not be reductions in the first place). Any statement by an organisation based upon these claimed “reductions” could be misleading or false.

Therefore, it is important that the additionality of a project is robustly tested and audited. The carbon accounting standards referenced in this guidance define best practice in assessing and determining the additionality of emission reduction projects.

When testing for additionality on a proposed project, the first step is to determine the baseline scenario – i.e. the hypothetical description of what would have most likely occurred in the absence of any intervention to mitigate the impact of GHG emissions. The baseline for a project activity is the projected GHG emissions that are calculated to occur in the absence of the proposed project activity. Once a suitable baseline has been determined it must be validated. Validation requires a third-party audit by a qualified auditor to ensure the baseline meets the requirements of the given carbon accounting standard and methodology.

When the project activity is in progress, GHG emissions from within the project area can be monitored and verified. Any reduction of emissions as compared to the baseline of the project are therefore additional and can be verified and issued as carbon credits (CERs, VCUs, GS VERs, CRTs, ERTs) in accordance with the rules of the applicable carbon accounting standard.

For a more detailed, technical discussion of the methods for calculating additionality or how best to define additionality, see the following resources:

[cdm.unfccc.int/Reference/Guidclarif/glos\\_CDM.pdf](https://cdm.unfccc.int/Reference/Guidclarif/glos_CDM.pdf)  
The UNFCCC Clean Development Mechanism Glossary

[https://verra.org/wp-content/uploads/2018/03/VCS-Guidance-Standardized-Methods-v3.3\\_0.pdf](https://verra.org/wp-content/uploads/2018/03/VCS-Guidance-Standardized-Methods-v3.3_0.pdf)

See section 4.6 of the Verra guidance document: “*Guidance for Standardized Methods*” (8 October 2013, v3.3) for methods for determining additionality within a CarbonNeutral Protocol eligible carbon accounting standard

[ghginstitute.org](https://ghginstitute.org)  
Search “additionality” for articles on the challenges of defining and measuring additionality

<https://www.offsetguide.org/high-quality-offsets/additionality/high-quality-offsets-additionality-how-carbon-offset-programs-address-additionality/>

Further information on methodologies for determining additionality

### 4.5 The use of carbon credits generated by projects which avoid, reduce and remove GHGs

The CarbonNeutral Protocol accepts the use of carbon credits from any type of mitigation project validated under the accepted carbon standards listed in **Technical Specification 4.1.1** (noting specific restrictions as set out there). There are three general types of mitigation projects:

**Avoid:** Includes projects which eliminate emissions – examples include renewable energy projects which avoid emissions from the fossil sources they replace; and, REDD+ projects which address emissions from deforestation.

**Reduce:** Includes projects which reduce emissions – examples include energy efficiency projects such as low-carbon cookstoves which use less fuel through improved combustion; and, manufacturing process improvements which reduce the use of non-renewable energy.

**Remove:** Includes projects which remove GHGs from the atmosphere – examples include afforestation; agricultural practices that sequester carbon in soils, bio-energy with carbon capture and storage, enhanced weathering, and direct air capture when combined with long-term storage.

The math of carbon neutrality treats interventions that avoid and reduce emissions as equal to those that remove GHGs from the atmosphere. Using the analogy of a bath with the taps on, a balance is achieved either by turning down the taps (avoid or reduce emissions) or by draining an equal amount down the plug (removing emissions from the atmosphere and capturing them in carbon sinks). However, as we get closer and closer to the

<sup>1</sup> The Science Based Targets Initiative, 2021, *SBTi Corporate Net-Zero Standard*, <https://sciencebasedtargets.org/resources/files/Net-Zero-Standard.pdf>.

<sup>2</sup> University of Oxford, 2020, *The Oxford Principles for Net Zero Aligned Carbon Offsetting*, <https://www.smithschool.ox.ac.uk/publications/reports/Oxford-Offsetting-Principles-2020.pdf>.

<sup>3</sup> <https://sciencebasedtargets.org/blog/net-zero-urgent-beyond-value-chain-mitigation-is-essential>.

safe limit of GHG concentrations in the atmosphere, there will be a shift in emphasis from emission reductions and avoidance to removals to ensure we have all mitigation approaches working in concert to achieve a stable climate.

In guidance published in 2019 and 2020, the SBTi signalled the rising importance of removal projects in the mix of mitigation approaches aligned with net zero, while also acknowledging the “critical role” of projects that avoid or reduce emissions. In October 2021, the SBTi released its Corporate Net-Zero Standard<sup>1</sup> under which unabated emissions must be “counterbalanced through the permanent removal and storage of carbon from the atmosphere”. In September 2020, Oxford University published its “The Oxford Principles for Net Zero Aligned Carbon Offsetting”,<sup>2</sup> which strengthened the case for a transition to offsetting based increasingly upon removals.

In the near-term, SBTi recommends supporting reduction and avoidance projects, a position they stressed in a September 2022 update, stating “investments in reducing and avoiding emissions are critical right now” in order to help the global economy align with 1.5°C and net-zero.<sup>3</sup>

Given the recognised need for all credible mitigation approaches to address the increasing need for urgency and scale, and the rising importance of increasing capacity for removals, clients should consider a portfolio approach to selecting a mix of project types which over time has an increasing proportion of removals.

### 4.6 Insetting

Insetting is a specific application of offsetting when emission reduction projects are sited within a corporate’s supply chain and sphere of influence. The focus on location-specific mitigation actions enables the corporate to gain multiple benefits, often delivering against both commercial and sustainability objectives. Carbon credits generated from insetting projects may be used for CarbonNeutral certifications only when they are generated in accordance with the Approved Carbon Credit Standards recognised in The CarbonNeutral Protocol (**Technical Specification 4.1.1**), and are retired in publicly accessible registries.

### 4.7 Excluded emission reduction project types

#### Introduction

As **Technical Specification 4.1** sets out, The CarbonNeutral Protocol supports carbon credits that meet the highest quality standards available in the market and excludes carbon credits that may fail to meet these standards. This guidance elaborates on those project types that are excluded.

## Destruction of HFC-23 and N<sub>2</sub>O industrial gases

### HFC-23

HFC-23 is an unwanted by-product in the manufacture of HCFC-22, a refrigerant and temporary substitute for CFCs. The destruction of HFC-23 in HCFC-22 plants in developing countries is eligible under the Clean Development Mechanism (CDM) and leads to the issuance of a large amount of credits due to the high Global Warming Potential (GWP) of such gases. As it is relatively cheap to install a destruction facility, HFC-23 destruction CDM projects may in some cases have created a perverse incentive structure to increase the production of HCFC-22 to earn money from destroying the resulting HFC-23. This perverse incentive undermines the Montreal Protocol on Substances that Deplete the Ozone Layer, an international treaty designed to protect the ozone layer by phasing out the production of numerous substances believed to be responsible for ozone depletion.

CDM crediting rules for HFC-23 projects were suspended in 2010 and made more stringent in 2011. The revised rules do not apply until projects have to renew their crediting period. This means that from 2012 until the end of the first crediting periods (seven years after a project started), over 240 million credits are estimated to be issued under the old rules. The European Union (EU) banned HFC-23 credits from use in the EU-ETS starting from April 2013.

### N<sub>2</sub>O

N<sub>2</sub>O is also an unwanted by-product in two different industrial processes; the production of:

- Adipic acid, usually turned into nylon
- Nitric acid, usually turned into fertiliser

In 2010, an independent study commissioned by CDM Watch provided evidence that the high profits from CDM N<sub>2</sub>O destruction projects at adipic acid facilities had led to carbon leakage. It was found that these projects had such high profit margins that a shift in production from non-CDM plants to CDM plants occurred. This carbon leakage caused an estimated increase in emissions of 13 million tonnes of CO<sub>2</sub>e.

This research has shown that nitric acid CDM projects do not generally cause carbon leakage. However, this project type is problematic for other reasons: N<sub>2</sub>O is normally an unwanted by-product of nitric acid production. Evidence suggests the existing CDM methodologies (AM0028 and AM0034) cause a perverse incentive not to adopt an already widely available technology that would minimise N<sub>2</sub>O formation because it is more lucrative for project developers to maximise N<sub>2</sub>O production so that it can then be destroyed to earn credits. The EU has banned N<sub>2</sub>O credits from use in the EU-ETS starting from April 2013.

The CarbonNeutral Protocol recognises the concerns associated with HFC-23 and N<sub>2</sub>O industrial gas destruction projects, and excludes credits from these project types.

### Large hydro

Hydropower is the largest source of renewable electricity globally. This has been made possible, in large part, by the cost-competitiveness of large hydro plants, which often represent lucrative well-established investments. Despite their attractive economics, large hydro projects can have severe negative social and environmental impacts such as displacement of local populations, loss of livelihoods and cultural heritage, and degraded ecosystem services.

Concerns over the additionality and potential social and environmental impacts of large hydropower projects under the CDM have led to calls for reform, including restrictions on credits from such projects under the EU ETS and the potential elimination of large hydro from the CDM altogether (alongside industrial gas projects).

The CarbonNeutral Protocol defines large hydro projects as those with generating capacities greater than or equal to 20MW. This is consistent with the requirements imposed under the EU ETS.

The CarbonNeutral Protocol recognises the concerns associated with large hydropower, and excludes credits from this project type, unless a qualified independent third party assures that a specific large hydropower project fulfils the World Commission on Dams (WCD) sustainability criteria or equivalent assessment introduced by the underlying carbon standard.<sup>1</sup>

### 4.8 Corresponding Adjustments (CAs)

Article 6(2) of the Paris Agreement sets out the requirement for nation states to apply corresponding adjustments (CAs) to carbon credits that are used for trading between nation states. This is to ensure that an emission reduction is not counted as a mitigation by two different countries towards their Paris pledges. Specifically, it applies double-entry book-keeping when a country funds a mitigation project in another country with the expectation of being able to count the verified emission reductions arising from that financial contribution as its own when reporting its progress against its NDC to the UNFCCC.

Some progress was made at COP27 in November 2022 with respect to collaborative efforts under the Paris Agreement's Article 6 to deliver GHG reductions at scale through market and non-market-based mechanisms. In the continuing absence of a global carbon market to assist nations in their effort to fund and deliver GHG reductions, COP27 recognised the importance of the Voluntary Carbon Market which serves non-state actors taking voluntary action. It does so under the provisions of Article 6.4 which now distinguish between mitigation outcomes delivered by nations that help a specific country meet its NDC; and those which are funded by non-state actors to assist a country meet or exceed its NDC and to support their own climate claims.

These are respectively termed 'Authorized Emission Reductions' (AERs) and 'Mitigation Contribution Emission Reductions' (MCERs). AERs are subject to double-entry book-keeping accounting so that emission reductions are not claimed twice. That is ensured through Corresponding Adjustments made to relevant country NDCs. MCERs are not subject to Corresponding Adjustments because non-state actors do not fall directly under the accounting framework of the Paris Agreement and so no double counting occurs. This is always the case provided the non-state actor does not use the MCERs to comply with its national emission reduction regulations.

Carbon offset credits with a vintage of 2020 or earlier are not subject to the debate around CAs, as those emission reductions occurred before the start of the Paris Agreement period. To date, a very small number of vintage 2021 credits have been issued, and numbers will remain small until the second half of 2022. Most buyers will therefore be unaffected by the CA issue in the medium term.

As these policy developments take shape, there is a debate about whether claims of neutrality can be made using MCERs; or, whether AERs must be used if double claiming by the host country and the funding entity is to be avoided. For the present, this debate is moot because the modalities of applying Corresponding Adjustments are yet to be agreed and uniformly implemented.

Only a handful of countries currently have an accounting mechanism for issuing CAs, and it is likely to be 2-3 years before most 'Paris-ready' national accounting systems are operational. It is therefore unlikely that any significant volume of carbon credits backed by CAs will be issued before 2023-24.

In the longer term, one possible outcome of a revised framework for voluntary action best practice is the differentiation between emission reductions without a CA that help the host country achieve its Paris Agreement pledge, and those with a CA which reduce emissions over and above the national pledge. Both have equal importance and merit in tackling climate change and companies may choose to act in either, or both, causes.

How to communicate these actions forms part of the ongoing process to determine future best practice, and future editions of the Protocol will provide updated guidance as this emerges.



## CarbonNeutral® product certification is now part of Amazon's Climate Pledge Friendly

Amazon's programme helps customers shop for more sustainable products by working with trusted certifications like CarbonNeutral.



Find out more at:

[carbonneutral.com/  
amazon-climate-pledge-friendly](https://carbonneutral.com/amazon-climate-pledge-friendly)



CarbonNeutral.com

# Step 5: Communicate Technical Specification

## 5.1 Use of the CarbonNeutral Certification logo

Since the Protocol was first published in 2002, Climate Impact Partners has worked with clients of all sizes and across all sectors to advise and support them on best practice for communications of carbon neutrality. In addition to ensuring accuracy of claims, we encourage clients to ensure compliance with any regulations regarding marketing claims, and to make full use of The CarbonNeutral Certification Logo Guidelines and support we provide to leverage and amplify their climate action in communications to stakeholders.

Upon successful completion of a CarbonNeutral certification, clients are licenced and encouraged to make use of the appropriate CarbonNeutral logo in their communications.

The logo is designed to enable companies with a CarbonNeutral certification to make a clear, transparent statement about their achievement. The accuracy and transparency of claims is important to protect and enhance the reputation of the certified business. Displaying the CarbonNeutral certification logo clearly demonstrates that a business has set and met a target for carbon neutrality. Such action is used to show leadership, differentiate from competitors, meet customer demand and engage stakeholders.

Logos are available for a variety of certifications including CarbonNeutral company, product, business travel, event, fleet, data centres and more, and in various languages upon request. Certification types are detailed in **Table 2**.

The CarbonNeutral Certification Logo Guidelines, which are sent to a client upon successful certification, govern the application of certification logos, providing clarity on how and where logos can be used as well as the statements that a certified company can make.

### Key requirements:

- To ensure no ambiguity about which company has achieved CarbonNeutral® certification, the certification logo can only be used by the licensee in their own communications and not those of their customers
- The logo must match the certification achieved
- Products or packaging may only carry a logo from CarbonNeutral product-class certifications. Certification types in the product-class are detailed in **Table 2**
- As part of our quality assurance programme and to ensure consistent and accurate use of CarbonNeutral certification by all clients, all usage of the CarbonNeutral certification logo needs to be approved along with any written comments relating to a company's CarbonNeutral claim or referring to Climate Impact Partners
- The certification logo must not be edited or copied. If the certification logo is edited or changed in any way it will be invalid
- If a certification logo is not used in accordance with these guidelines, Climate Impact Partners has the right to withdraw the logo licence and request the removal of the CarbonNeutral logo
- Entities must be aware that there are regulations governing marketing claims relating to environmental actions and third-party certifications in countries (for example, the U.S. Federal Trade Commission's Green Guides and the UK's Advertising Standards Agency or DEFRA's Green Claims Guidance) and it is the responsibility of entities to ensure that their marketing and communications – including those relating to CarbonNeutral certification – are compliant with those regulations

# Step 5: Communicate Guidance

## 5.2 Communicating CarbonNeutral certification

Guidance to businesses about how to give consistent, clear and accurate communications about CarbonNeutral programmes and how to maximise business value are provided to clients upon successful completion of a CarbonNeutral certification. Guidance comprises The CarbonNeutral Certification Logo Guidelines, additional materials and advice. For support in accessing these, certified clients should contact their Client Engagement Manager.

## 5.3 Communicating 100% renewable electricity

This guidance aims to clarify how CarbonNeutral certification relates to claims of 100% renewable electricity.

Claims of 100% renewable electricity are not within the scope of The CarbonNeutral Protocol and CarbonNeutral certifications.

However, as set out in **Technical Specification 4.1.2** entities can purchase and retire EACs to zero-rate their market-based Scope 2 emissions under the provisions of GHG Protocol Scope 2 Guidance. This approach to linking energy consumed to renewable sources may support claims of 100% renewable electricity. Clients seeking to make such claims are encouraged to consult RE100 and RECS International guidance.

We anticipate that definitions of 100% renewable electricity will be refined with time and application, and this guidance will be updated in subsequent revisions to the Protocol.

Further information can be found at:

- RE100, 2020, *2020 Target Year Communications – Making Transparent Claims*, <https://www.there100.org/sites/re100/files/2021-02/RE100%20Making%20Credible%20Claims.pdf>
- RECS International, 2020, *Maximising the reliability and impact of buying renewables: guidance for market participants*, <https://recs.org/app/uploads/2020/09/guidance-for-market-participants.pdf>

## 5.4 Recommended disclosures and communication


Increasingly, stakeholders expect and require greater transparency when climate-related claims are made. Climate-related claims are increasingly regulated by local laws, which may impose additional disclosures and requirements, in excess of the core requirements found in section 5 of The CarbonNeutral Protocol.

Example disclosures that exceed the requirements of The CarbonNeutral Protocol and which may be required to comply with local laws are presented in **Table 22**. We encourage all users of The CarbonNeutral Protocol to consider making additional disclosures.

**Table 22: Additional Disclosures**

<b>GHG Footprint Measurement</b>
Publication of the relevant GHG footprint of the organisation, activity or product in tCO <sub>2</sub> e
The methodology and standards applied to the footprint calculation, e.g. ISO 14067, GHG Protocol Corporate Standard
The scope and boundaries of the GHG footprint calculation
Annual change in the GHG footprint
Total increase or decrease in the GHG footprint compared to a baseline year
<b>GHG Footprint Reduction</b>
Detailed short, medium and long term GHG footprint reduction strategy and trajectory
Actions and measures planned and taken to reduce absolute emissions and emissions intensity metrics
Externally recognised abatement strategies and targets, such as an approved Science Based Target under the SBTi
GHG footprint and other climate-related targets and KPIs
Progress against targets and related commentary
<b>Compensation for Unabated GHG Footprint</b>
Quantity of carbon instruments (carbon credits) and Energy Attribute Certificates (EACs) purchased and allocated to offset the GHG footprint
Applicable carbon credit and EAC third party standards, e.g. Verra's VCS, Gold Standard, Guarantee of Origin
Characteristics of carbon instruments purchased
Alignment of projects chosen with the organisation's ESG priorities and strategy

To avoid making claims that may constitute false or misleading statements under local law, organisations using The CarbonNeutral Protocol are encouraged to seek legal counsel familiar with environmental and climate-related claims to determine whether their use of The CarbonNeutral Protocol and related certification, as well as related claims, complies with laws and regulations in the countries in which they operate and in which claims are made.



# GLOSSARY OF TERMS

14Trees Sustainable Building, Malawi: Winner of the Better Society 2021 Built Environment Award, this project makes compressed bricks made of local earth, sand, cement and water - reducing emissions by avoiding the need to fire the bricks

The term ‘carbon neutral’ and the related concepts associated with voluntary climate action have been in common usage for over 20 years. However, they may still mean different things to different audiences.

This Glossary sets out the definitions of key terms and concepts as they apply to The CarbonNeutral Protocol to support the award of the CarbonNeutral® certifications and the use of the associated CarbonNeutral® certification logo. Over time, we seek to reference definitions that are brought into common usage by respected independent third-party standards and by recognised scientific, academic and civil society organisations and coalitions.

# A

**Abatement:** See **Internal emission reductions**.

**Additional (also additionality):**

A criterion applied to greenhouse gas (GHG) emission reduction projects, stipulating that project-based GHG reductions should only be quantified if the project activity “would not have happened anyway”. I.e., the project activity (or the same technologies or practices it employs) would not have been implemented and that, with the project, emissions would be lower than without the project (See [The GHG Protocol for Project Accounting](#)). An Emission Reduction Project is said to be additional when it can be demonstrated that in the absence of the availability of Carbon finance, the project activity would not have occurred (the “baseline” scenario) and; such a baseline scenario would have resulted in higher greenhouse gas (GHG) emissions. Each eligible carbon accounting standard under The CarbonNeutral Protocol provides

tools for how additionality at a project level is tested and demonstrated. For further discussion of this topic, see **Guidance 4.4**.

**AIC:** Aircraft (or aviation) induced clouds which have a potential climate warming affect. See **Guidance 2.5** for further discussion of this topic.

**Article 6(2):** The section of the Paris Agreement that sets out the rules and accounting framework for the international transfer of mitigation outcomes between countries. It provides the basis for the use of carbon markets to play an important role in international efforts to deliver the Paris Agreement objectives.

**Article 6(4):** The section of the Paris Agreement that establishes a new, centralised UN body to manage the process of certifying and issuing carbon credits from emission reduction projects. The new body will be the successor to the Clean Development Mechanism (CDM) that was set up by the UN as part of the Kyoto Protocol, which expired in December 2020.

**Assessment:** The process of quantifying the GHG emissions for a given subject, using robust and transparent methods that can be replicated.

**Attestation:** A written declaration for the purpose of demonstrating compliance with the Protocol.

**Available (referring to data):** Applied to primary data, “available” means readily collectable, at reasonable cost from within a given subject. Applied to estimated emissions, “available” means readily found in reputable, published sources such as those issued by government departments, academic institutions, specialist research bodies and the secretariats of leading GHG standards and protocols.

**Aviation Impact Factor (AIF):** A term used in The CarbonNeutral Protocol for the multiplier applied to the GHG emissions from aviation in order to take account of the wider impacts of aviation on climate. This includes, but is not limited to, short or long-term impacts, from; GHGs alone and others with global warming influence (for example, soot particles and aviation induced clouds) and; direct and indirect impacts (for example, the interaction of NOx with methane gases and ozone at high altitudes). See **Guidance 2.5** for further discussion of this topic.

**Avoided emissions:** The impact, measured in tCO<sub>2</sub>e, of specific mitigation actions or projects that avoid GHG emissions to the atmosphere calculated against a reference baseline (See **Mitigation** and **Mitigation outcomes** and **Guidance 4.5**).



Solar Energy and Mobile Payment, East Africa: The use of the solar lighting systems enables households to switch from high-cost, polluting kerosene to affordable, safe, off-grid renewable solar power

# B

## **Baseline (also Baseline scenario – as applied to mitigation projects):**

A hypothetical description of what would have most likely occurred in the absence of any intervention to mitigate the impact of GHG emissions. The baseline for a project activity is the projected GHG emissions that are expected to occur in the absence of the intervention. Baselines are established to determine Additionality, and to calculate emission reductions associated with emission reduction projects. For further discussion of this topic, see **Guidance 4.4**.

## **Baseline (also Baseline scenario – as applied to GHG accounting and reporting):**

A reference level of GHG emissions that have occurred, or which are expected to occur, prior to the introduction of any interventions that reduce emissions, to predict or determine the abatement achieved by the interventions.

**Baseline procedures:** Methods used to estimate baseline emissions. The GHG Protocol for Project Accounting presents two optional procedures: the project-specific procedure and the performance standard procedure (See: [The GHG Protocol for Project Accounting](#)).

**Boundary:** The physical or spatial extent of the subject – the entity, product or activity – i.e., the sites involved (including mobile sites such as vehicles). By way of example, the boundary might encompass the office and vehicles of an entity, or the sites used for the manufacture, storage, and transportation of a product. See **Technical Specification 1.1** for further information of this topic with respect to CarbonNeutral® certifications.

# C

**Carbon:** Shorthand term for all greenhouse gases recognised under the United Nations Framework Convention on Climate Change (e.g. the carbon emissions associated with a Subject cover all recognised GHG emissions from the Subject).

**Carbon credit:** A transactable, intangible environmental instrument representing a unit of carbon dioxide-equivalent (CO<sub>2</sub>e) – typically one metric tonne – created either by regulatory schemes promoted by governments (e.g., cap & trade schemes) or by projects which are validated to a recognised carbon standard. Carbon credits are typically ultimately used to compensate for or neutralise unabated emissions occurring elsewhere by retiring or cancelling them in a registry.

## **Carbon dioxide equivalent (CO<sub>2</sub>e):**

A unit of measurement that describes for a GHG the amount of CO<sub>2</sub> in tonnes that would have the same global warming potential, when measured over a 100-year timescale.

**Carbon finance:** Finance delivered to emission reduction projects derived from the sale of carbon credits from the project.

**Carbon footprint:** See **GHG inventory**.

**Carbon markets:** Carbon markets are used for voluntary or compliance purposes. Voluntary carbon markets refer to the collective transactions of carbon credits used by non-state entities to achieve voluntary climate goals. Compliance carbon markets refer to the governmental or sectoral schemes to reduce greenhouse gas emissions which enable regulated entities to obtain and surrender emission permits (allowances) or eligible carbon credits to meet compliance targets.

**Carbon neutral:** A current state which is achieved when the GHG emissions associated with an entity, product or activity are reduced and offset to zero for a defined duration.

**Carbon neutrality:** Carbon neutral and carbon neutrality are used interchangeably.

**Carbon offsetting:** The act of purchasing a carbon credit and retiring or cancelling the unit to compensate for one tonne of GHG emissions released to the atmosphere elsewhere. When the subject is said to be offset, the unabated emissions associated with the subject are equal to the amount of carbon credits retired or cancelled.

**Carbon removals:** See **Removals**.

## **Carbon (or climate, or net) positive:**

A term indicating that an entity is taking action beyond carbon neutrality by removing GHGs from the atmosphere or reducing emissions to the atmosphere such that the aggregated reductions and removals exceed the unabated emissions from the subject. Read more about the various definitions in **Guidance 3.5**.

**CarbonNeutral®:** The registered trademark of Climate Impact Partners licenced for use by entities which have achieved CarbonNeutral® certification.

## **CarbonNeutral® certification:**

The process by which a client receives recognition that it has met the provisions of The CarbonNeutral Protocol for a specific subject. CarbonNeutral® certifications are awarded by Climate Impact Partners as the CarbonNeutral® certifier.

## **CarbonNeutral® certifier:**

The organisation providing CarbonNeutral® certification in accordance with the requirements of The CarbonNeutral Protocol. Climate Impact Partners awards the CarbonNeutral® certification logo to clients that are in compliance with the requirements of the Protocol and under contractual provisions established between Climate Impact Partners and the client.

## **CarbonNeutral® certification logo:**

A logo incorporating the CarbonNeutral® trademark that is licenced to a client upon the successful completion of a CarbonNeutral® certification. See **Technical Specification 5.1** for further information.

**CarbonNeutral® certification logo guidelines:** Climate Impact Partners' requirements and guidelines governing the application of CarbonNeutral® certification logos. See **Technical Specification 5.1** for further information.

**Certification period:** See **Duration**.

**Client:** The entity, organisation, individual or group of individuals entering into a contract with a CarbonNeutral certifier for the purposes of a CarbonNeutral® certification.

**Climate finance:** A source of funding to mitigate or adapt to climate impacts. Includes terms such as: carbon finance, green finance, green bonds.

**Compensation (in relation to offsetting):** A term used to specify the retirement of carbon credits from mitigation projects that avoid or reduce the emission of GHGs (see Avoided emissions and Reduced emissions) when redressing the impact of unabated emissions.

**Corresponding Adjustment:** An accounting adjustment made at country level to ensure that an emission reduction is not double counted by two countries towards their commitments under the Paris Agreement. Making a corresponding adjustment means that when a country transfers a mitigation outcome (ITMO) internationally to be counted toward another country's mitigation pledge, this ITMO must be 'un-counted' in the greenhouse gas inventory of the country that hosts the mitigation project that provides the emission reduction.

**Cradle-to-customer:** A particular boundary for product subjects. The cradle-to-customer boundary includes the extraction and processing of raw materials (including any packaging materials), manufacture, storage, and distribution to first customer. See **Guidance 1.4** for further information.

**Cradle-to-grave:** A particular boundary for CarbonNeutral® product subjects. The cradle-to-grave boundary includes extraction and processing of raw materials (including any packaging materials), manufacture, storage, distribution to first customer, further distribution and storage, retail, use and end-of-life disposal.

## D

**De minimis threshold:** A source or quantity of emissions that a company may exclude from its inventory. The GHG Protocol Corporate Standard recommends against the use of a de minimis threshold, on the grounds that it conflicts with the principle of completeness. The Corporate Standard advises instead to estimate emissions for small sources, record how each estimate was calculated, and transparently record and justify estimates that may be of lower quality and/or higher uncertainty. Despite this recommendation, a number of companies and GHG programs have still found it useful to define a de minimis threshold. In such instances, the entity must justify the selection to the Assessment Partner or Provider who must confirm that the threshold is in line with the conservative estimation, best practice, transparency and continuous improvement principle of the Protocol.

**Department for Environment, Food and Rural Affairs (DEFRA):** Ministry of the United Kingdom Government, which has provided GHG measurement guidance that is referenced and applied internationally.

**Delivery (referring to carbon credits):** Refers to the receipt of legal title and ownership of verified and issued carbon credits by the provider of such reductions. Delivery can occur on a third-party external registry, or through written agreement.

**Duration:** The period of time during which a CarbonNeutral® certification is valid. For entities this is commonly a specified twelve-month period; for products, a specified twelve-month period during which the product is produced for sale; and, for activities, the period during which the utility of the activity is delivered – including preparation and post event activities.

## E

**Embodied carbon:** The sum of the GHG emissions associated, directly or indirectly, with a material. For example, the embodied carbon in building materials when calculating the carbon footprint of a building.

**Emission factor:** An emission factor is a coefficient which enables the conversion of activity data into GHG emissions expressed as tonnes of CO<sub>2</sub> equivalent (e.g., MWh consumed into tCO<sub>2</sub>e emitted). CarbonNeutral® certifications require emission factors published by reputable and independent sources that are up-to-date and which are most relevant to the subject's location and activities.

**Emissions sinks:** See **Removals**.

**Emissions sources:** The specific GHG-emitting activities or processes within the boundary of a Subject.

**EN 15804:** Refers to the European standard on "Sustainability of construction works – Environmental Product Declarations – core rules for the product category of construction products." It provides core product category rules for type III Environmental Product Declarations (EPDs) for any construction product and construction service.

**Energy Attribute Certificates (EACs):** Transactable, energy tracking instruments representing proof that a unit (e.g. 1 megawatt-hour (MWh)) of energy was generated from an eligible renewable energy source and delivered through a shared power distribution system to serve power consumers. EACs provide

a mechanism for power consumers to associate their purchased power with renewable energy delivered to the distribution system. Examples include Guarantees of Origin (GOs), Renewable Energy Certificates (RECs), International Renewable Energy Certificate (I-RECs) and Tradable Instruments for Global Renewables (TIGRs), which are recognised in The Greenhouse Gas Protocol Scope 2 Guidance as eligible instruments for documenting and tracking electricity consumed from renewable sources.

**Environmental instruments:** The broad category of transactable instruments that includes carbon credits, energy attribute certificates, and all other instruments designed to track the environmental attributes of project-based activities.

**Environmental Product Declaration (EPD):** An independently verified document that reports environmental data of products based on life cycle assessment and other relevant information in accordance with the international standard ISO 14025. See **Guidance 2.8** for further discussion on this topic.

**EPD Type III declaration:** A specific type of Environmental Product Declaration (EPD) to enable comparisons between products fulfilling the same function, as defined by Product Category Rules (PCR).

**Estimated emissions:** An emissions value for a particular emissions source which has been calculated based upon a reasonable estimate, extrapolation, model or benchmark, rather than based upon primary data collected. For example, water consumption of a site based upon floor area. This also includes emission sources which have been calculated based on collected data which needs to be converted using estimates before application of conversion factors. For example, emissions arising from business travel where data collected consisted of spend on aeroplane flights, which required conversion to flight distance using an assumption of flight cost per mile travelled.

**Ex ante:** As applied to carbon credits are emission reductions which are planned but which have not been verified under an accepted standard and listed in the related registry, which means they cannot be retired to compensate for unabated emissions.

**Ex post:** As applied to carbon credits when emission reductions have been verified under an accepted standard and listed in the related registry, which means they can be retired to compensate for unabated emissions.

## G

**Geographically relevant:** Pertaining to the specific location of the emissions-generating activity in question. In order of preference, emission factors and estimated emissions should be applied first from local, sub-national datasets; then from national datasets; and then from regional datasets. In the absence of available data from these datasets, available global factors and data may be applied.

**Greenhouse gas (GHG):** Gases identified in Protocols and Agreements established under the United Nations Framework Convention on Climate Change which when emitted to the atmosphere cause global warming and which are targeted for reduction. Recognised GHGs include carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), nitrous oxide (N<sub>2</sub>O), hydrofluorocarbons, perfluorocarbons, sulphur- hexafluoride (SF<sub>6</sub>), and nitrogen trifluoride (NF<sub>3</sub>).

**Green gas (or biogas):** A generic term for calorific gas produced by the breakdown of organic matter, through anaerobic digestion or fermentation. Feed stocks include biodegradable materials such as manure, sewage, municipal water, green waste, and plant material. Biogas is primarily methane and carbon dioxide and may have small amounts of hydrogen sulphide, siloxanes and moisture which make it corrosive. Before biogas is introduced to a gas distribution grid it is dried and the hydrogen sulphide and carbon dioxide is removed, and the upgraded gas is known as biomethane.

**GHG inventory:** An accounting of the amount of GHGs discharged into the atmosphere from sources and removed from the atmosphere by sinks within a specified boundary. Also commonly referred to as Carbon footprint.

**GHG Protocol Corporate Standard:** The World Business Council for Sustainable Development (WBCSD) and World Resources Institute's (WRI) Corporate Accounting and Reporting Standard (Corporate Standard). The GHG Protocol Corporate Standard is the most commonly used organisational GHG accounting methodology. It defines emissions reporting under three key scopes, ensuring comprehensive reporting.



**Community Reforestation, Ghana:** The project is restoring degraded forest reserves in Ghanaian riparian buffer zones, following the principles and criteria of the Forest Stewardship Council (FSC)

### GHG Protocol Product Standard:

The WBCSD and WRI's Product Life Cycle Accounting and Reporting Standard (Product Standard). This document allows an entity to measure the GHG associated with the full life cycle of products including raw materials, manufacturing, transportation, storage, use and disposal.

### GHG Protocol Scope 2 and 3 Guidance:

Guidance published by the World Resources Institute as an complement to the GHG Protocol's Corporate Standard, providing updated requirements and best practices on Scope 2 and Scope 3 accounting and reporting. Scope 2 guidance introduces the concepts of 'location-based' and 'market-based' accounting for Scope 2 emissions from purchased energy.

### Global Warming Potential (GWP):

An index of the potency of a GHG, referenced to carbon dioxide (which therefore has a GWP of 1) over a given time horizon. As an illustration of this, over a 100-year horizon, methane has a GWP of 34 (Ref: IPCC Fifth Assessment Report (AR5), 2013, p714).

**Guarantee of Origin (GO):** An Energy Attribute Certificate (EAC) defined in Article 15 of the European Directive 2009/28/EC issued per MWh of energy generated from eligible renewable sources.

**ICROA:** The International Carbon Reduction and Offset Alliance is a non-profit organisation within the International Emissions Trading Association (IETA). Its primary aim is to deliver quality assurance in carbon management and offsetting through adherence to its Code of Best Practice.

### Independent qualified third party (referring to GHG assessment providers):

An individual or organisation expert and experienced in GHG accounting that has no conflict of interest or financial gain in the outcome of the assessment used in CarbonNeutral® certifications.

**Insetting:** A specific application of offsetting when mitigation projects located within an entity's value chain and sphere of influence generate mitigation outcomes under recognised carbon standards which are used by the corporate to compensate for its unabated emissions. The focus on location-specific mitigation actions enables the corporate to gain multiple benefits, often delivering against both commercial and sustainability objectives.

**Internal emission reduction:** A reduction or abatement of GHG emissions made within the boundary of a subject (through for example, undertaking energy efficiency projects, on-site renewable energy, or fuel substitution) which is accounted for in the subject's GHG inventory.

### International Renewable Energy Certificate (I-REC):

An Energy Attribute Certificate (EAC) defined by the International REC Standard issued per MWh of energy generated from eligible renewable sources.

### Internationally Transferred Mitigation Outcome (ITMO):

A unit representing one metric tonne of CO<sub>2</sub>e reduced or removed from the atmosphere for international emissions trading between signatory countries of the Paris Agreement. The process for producing ITMOs and their uses are defined in Article 6(2) and Article 6(4) of the Paris Agreement.

**ISO 14025:** International Organisation for Standardisation's specification for "Environmental labels and declarations – type III environmental declarations – principles and procedures." It establishes the principles and specifies the procedures for developing type III environmental declaration programmes and type III environmental declarations. It specifically establishes the use of the ISO 14040 series of standards in the development of type III environmental declaration programmes and type III environmental declarations.

**ISO14040:** International Organisation for Standardisation's specification for "Environmental management – life cycle assessment – principles and framework." It describes the principles and framework for life cycle assessment (LCA).

**ISO 14064-1:** International Organisation for Standardisation's specification for quantification and reporting of GHG emissions and removals at the organisation level. Its approach is similar to the GHG Protocol Corporate Standard.



**Guatemala Water Filtration and Improved Cookstoves:** The Ecofiltro water filter removes 99% of pathogens from non-potable water, making it safer for local communities to drink in a country where water-borne disease has been identified as a national priority

**ISO 14064-2:** International Organisation for Standardisation's specification guidance at the project level for the quantification, monitoring and reporting of activities intended to cause GHG emission reductions or removal enhancements.

**ISO 14065:** International Organisation for Standardisation's requirements for the accreditation of entities that validate or verify resulting GHG emission assertions or claims.

**ISO 14067:** International Organisation for Standardisation's specification for the quantification and reporting of the GHG inventory of a product. It specifies principles, requirements and guidelines for the quantification and communication of the carbon footprint of a product, based on international standards on LCA (ISO 14040 and ISO 14044) for quantification, and on environmental labels and declarations (including ISO 14025) for communication.

**ISO 14068 (in development):** International Organisation for Standardisation's specification for the requirements and principles to be met when seeking to pursue, demonstrate or potentially exceed greenhouse gas, carbon or climate neutrality through the quantification, management, avoidance, reduction, substitution, compensation and sequestration of GHG emissions.

**ISO 21930:** International Organisation for Standardisation's specification for "Sustainability in building construction – environmental declaration of building products." It provides a framework and the basic requirements for product category rules as defined in ISO 14025 for type III environmental declarations of building products. Where this international standard contains more specific requirements, it complements ISO 14025 for the EPD of building products.

**Issuance:** The delivery of a specified quantity of carbon credits into a specified account on a registry. Issuance allows the title to carbon credits to be transferred and retired in that registry.

## L

**Licensee:** Entity awarded the right to use the CarbonNeutral® certification logo.

**Life Cycle Assessment (LCA):** The systematic analysis using internationally accepted standards (e.g. ISO 14040) of the potential environmental impacts of products or services across their supply-chain and during their life-cycle (typically, from cradle to grave).

**Location-based:** An accounting concept introduced in the GHG Protocol Scope 2 Guidance. It is a method to quantify the Scope 2 GHG emissions of an entity based on the average energy generation emission factor for defined geographic locations, including local, subnational, or national boundaries.

## M

**Market-based:** An accounting concept introduced in the GHG Protocol Scope 2 Guidance. It is a method to quantify the Scope 2 GHG emissions of an entity based on GHG emissions emitted by the generators from which the entity contractually purchases electricity bundled with Energy Attribute Certificates (EACs), or EACs on their own.

**Materiality:** A materiality threshold is used to determine whether the aggregated error in, or omission from, an inventory constitutes a material discrepancy – that is, whether the error or omission results in a reported quantity of emissions that is sufficiently different from the true quantity of emissions (as determined by the verifier) that it will influence decisions made by the inventory's users.

The GHG Protocol Corporate Standard recommends 5% as a rule of thumb for a materiality threshold; however, it notes that a verifier should assess whether an error or omission of a smaller size may still be misleading given the purpose and

context of the report. Errors or omissions must be corrected before the verification is complete unless they fall under the de minimis threshold. The concept of materiality therefore involves a professional judgment in the context of the information presented. While materiality thresholds should be applied according to the judgment of the verifier, we recommend alignment with the GHG Protocol by benchmarking materiality at 5% of the total inventory for the part of the organisation being verified.

**Mitigation:** Actions that reduce emissions of GHGs to the atmosphere; that reduce the global warming potential of other constituents in the atmosphere; or, which remove or stabilise heat trapping GHGs or other constituents from the atmosphere.

**Mitigation outcomes:** Impact of mitigation activities, measured in CO<sub>2</sub>e, including those that avoid and reduce greenhouse gas emissions to the atmosphere and those that remove greenhouse gases from the atmosphere. Transactable mitigation outcomes (see Carbon credit) are generated by mitigation projects established under recognised third-party standards. Retirement of carbon credits (see Carbon offsetting) enables entities to compensate or neutralise unabated emissions.

## N

**Net zero:** The Paris Agreement introduced the concept of net zero at a global level as: "a balance between anthropogenic emissions by sources and removals by sinks of greenhouse gases."

For net zero at a company level, we refer to the UNFCCC's Race to Zero initiative, which defines net zero as: "An actor reduces its emissions following science-based pathways, with any remaining GHGs attributable to that actor being fully neutralised by like-for-like removals (e.g., permanent removals for fossil carbon emissions) exclusively claimed by that actor, either within the value chain or through purchase of valid offset credits."

The SBTi's Corporate Net-Zero Standard, launched in October 2021, defines corporate net-zero as: "Reducing scope 1, 2, and 3 emissions to zero or to a residual level that is consistent with reaching net-zero emissions at the global or sector level in eligible 1.5°C-aligned pathways; and neutralizing any residual emissions at the net-zero target year and any GHG emissions released into the atmosphere thereafter." Its Standard includes the guidance, criteria and recommendations to deliver emissions reductions for a net zero targets consistent with limiting global temperature rise to 1.5°C. However, it does not include guidance or criteria about neutralising residual emissions.

For more on net zero at a company level refer to **Guidance 3.4**.

**Neutralization:** A term used by the Science Based Targets Initiative to specify the retirement of carbon credits from mitigation projects that remove GHGs from the atmosphere (see Removals) when redressing the impact of unabated emissions once entities reach their science-based target.

# O

**Offsetting / offset:** The act of compensating for unabated GHG emissions by retiring (cancelling) carbon credits.

# P

**Paris Agreement:** A legally binding international treaty on climate change under the UN Framework Convention on Climate Change (UNFCCC). It was negotiated and agreed by 196 countries at the UN Conference of the Parties (COP) meeting in Paris in December 2015 and came into force on 1st January 2021. The goal of the Paris Agreement is to limit global warming to well below 2°C, and preferably to 1.5°C, compared to pre-industrial levels.

**PAS 2050:** British Standards Institution's (BSI) Publicly Available Specification for the assessment of the life cycle GHG emissions of goods and services. The general principles of PAS 2050 are similar to the GHG Protocol Product Standard, both of which are appropriate for use within The CarbonNeutral Protocol.

**PAS 2060:** British Standards Institution's (BSI) Publicly Available Specification for the demonstration of carbon neutrality. It specifies requirements to be met by any entity seeking to demonstrate carbon neutrality through the quantification, reduction, and offsetting of GHG emissions from a uniquely identified subject.

### Product Category Rule (PCR):

Documents that define the rules and requirements for EPDs from a certain product category. They are vital for the concept of environmental declarations as they enable transparency and comparability between different EPDs based on the same PCR.

**Primary data:** Data collected or directly measured which can be converted to CO<sub>2</sub>e emissions through the application of conversion factors, without the need to first apply estimates, extrapolations, models, or industry averages. For example the quantity of electricity consumed on site, as recorded from an electricity meter, or from utility invoices.



**West India Wind Power, India:** Carbon finance supports the country's green growth agenda by enhancing renewable energy capacity to meet growing energy demands

# Q

**Quality assurance:** Independent review conducted by an expert third party to check that: the input data for GHG inventories; or use of a CarbonNeutral® certification logo meets the requirements of a CarbonNeutral® certification and is in line with the approach and principles of The CarbonNeutral Protocol. See **Guidance 2.3** for further guidance on quality assurance and verification.

**Quality assurance statement:** A written statement by an expert third party with demonstrated experience declaring the results of a quality assurance exercise. A quality assurance statement as referred to here should not be confused with an assurance report, which is a report issued by an independent assurance provider or auditor under a standard such as International Standard on Assurance Engagements (ISAE) 3000 or 3402.

**Quality control:** A management process used by an entity to ensure its data management provides a true and fair representation of the GHG emissions associated with the subject of the certification.

# R

**RE100:** A global collaborative initiative led by The Climate Group that brings together influential and multinational businesses that are committed to sourcing 100% renewable electricity (See **Guidance 5.3** for further information about communicating 100% renewable electricity).

**Reduced emissions:** The impact, measured in tCO<sub>2</sub>e, of specific mitigation actions to avoid GHG emissions to the atmosphere calculated against a reference baseline (See **Mitigation** and **Mitigation outcomes** and **Guidance 4.5**).

**Registry:** A database of carbon credits and their transactions used to assign legal title through a unique identifier, and where credits are retired (cancelled) upon being sold to offset an equivalent amount of GHG emissions.

**Removals:** The impact, measured in tCO<sub>2</sub>e, of specific mitigation actions that remove GHG emissions from the atmosphere (See **Mitigation** and **Mitigation outcomes** and **Guidance 4.5**).

**Renewable Energy Certificate (REC):** An Energy Attribute Certificate (EAC) defined in North American regulations issued per MWh generated from eligible renewable energy sources.

**Renewable Energy Guarantees of Origin (REGO):** An Energy Attribute Certificate (EAC) administered by the UK regulatory agency Ofgem, issued per MWh of energy generated from eligible renewable sources.

**Renewable Gas Guarantees of Origin (RGGO):** An Energy Attribute Certificate (EAC) administered by the Renewable Energy Association in the UK, issued per kWh of energy generated from eligible biogas sources.

**Retire (Retirement):** Refers to the permanent cancellation of carbon credits from future use in a third-party registry.

**Radiative Forcing Index (RFI):** A factor used to quantify non-CO<sub>2</sub> warming effects of air travel. RFI is the ratio of total radiative forcing (RF) of all GHGs to RF from CO<sub>2</sub> emissions alone for aircraft emissions (IPCC, 1999). RFI does not account for the different residence times of different warming factors. See **Guidance 2.5** for further discussion of this topic.

# S

**Science Based Targets initiative (SBTi):** A collaborative initiative by CDP, World Resources Institute (WRI), the World Wide Fund for Nature (WWF) and the United Nations Global Compact (UNGC) that champions science-based internal abatement target setting and the adoption of net zero strategies to encourage and support companies in the transition to a low-carbon economy. See **Guidance 3.3** for further guidance.

**Scopes:** The three “classes” of emissions sources identified in the GHG Protocol Corporate Standard, relevant to assessing and reporting the GHG emissions of entities.

**Degraded Grasslands Afforestation, Uruguay:** Using carbon finance, this project is implementing sustainable wood production, land restoration, and carbon sequestration through afforestation on degraded land in Uruguay



**Scope 1 emissions:** Those GHG emissions directly attributable to the subject that occur from sources that are owned, leased or controlled by the entity seeking CarbonNeutral® certification, principally from the following types of activities: the combustion of fuels for the generation of electricity, heat, or steam; processing and/or manufacturing of materials or chemicals; transportation in company owned/controlled mobile combustion sources; and fugitive emissions from intentional or unintentional releases (e.g. equipment leaks and hydrofluorocarbon (HFC) emissions from refrigeration and air conditioning equipment).

**Scope 2 emissions:** Those emissions indirectly attributable to the subject from the generation of electricity, heat, steam or cooling that is acquired and consumed in owned, leased, or controlled equipment or operations.

**Scope 3 emissions:** All non-Scope 2 indirect emissions from upstream and downstream sources. The most common examples are emissions from: transport-related activities; transportation of purchased materials, goods, or fuels; employee business travel; employee commuting to and from work; transportation of sold products in third-party owned vehicles; and the transportation and disposal of waste and sold products at the end of their life.

**Short Lived Climate Forcers (SLCF):** Emissions with a short atmospheric residence time which have the potential to affect climate.

**Subject:** The entity, product or activity to which CarbonNeutral® certification is applied.

## T

### **Taskforce for Scaling the Voluntary Carbon Market:**

A private sector-led initiative established in 2020 working to scale an effective and efficient voluntary carbon market to help meet the goals of the Paris Agreement, renamed in 2021 to the Integrity Council for the Voluntary Carbon Market (ICVCM) to mark the implementation phase of the initiative.

### **Tradable Instrument for Global Renewables (TIGR):**

A global Energy Attribute Certificate (EAC) administered by APX in the US issued per MWh generated from eligible renewable energy sources.

## U

**Unabated emissions:** Remaining GHG emissions associated with a subject after internal emission reduction activities have been implemented.

## V

### **Voluntary Carbon Market (VCM):**

The market for tradable carbon credits that facilitates international cooperation between private actors in developing and developed countries. It enables non-state actors to drive climate benefits beyond their own operations and supply chains.

### **Voluntary Carbon Market Integrity Initiative (VCMI):**


A multi-stakeholder platform established in 2021 to drive credible, net-zero aligned participation in voluntary carbon markets.

**Verification:** Independent evaluation conducted by an expert third party with demonstrated experience to the requirements of an independent verification standard (such as ISO 14064:3) to check that the quality of input data, a GHG assessment, or that the use of a CarbonNeutral® certification logo meets the requirements of a CarbonNeutral® certification and is in line with the approach and principles of The CarbonNeutral Protocol. See **Guidance 2.3** for further guidance on quality assurance and verification.

**Verification statement:** A written statement by an expert third party with demonstrated experience declaring the results of a verification exercise.

## Z

**Zero emissions:** Applies to the state of a subject when GHG emissions are fully abated and there are zero GHG emissions to the atmosphere.



# REFERENCE MATERIAL

Selco Solar Energy Access Project, India: Enhancing energy access for hundreds of thousands of rural households by providing solar lighting and renewable energy

# Reference Material

## Cross-compliance Tables

Cross-compliance tables summarise the major differences between The CarbonNeutral Protocol and other related national standards and guidelines for carbon neutrality, in the form of additional requirements of The Protocol relative to the other standards, and the additional requirements of the other standards relative to the Protocol. The documentation on the respective standards should be referred to for detailed information about the way in which requirements must be fulfilled, documented and verified.

The requirements of the following standards and guidelines are considered from a cross-compliance perspective:

- PAS 2060:2014 Publicly Available Specification for the demonstration of carbon neutrality – Published April 2014
- Australia's National Carbon Offset Standard Carbon Neutral Program – Published May 2012, v5 - Nov 2017

To access the cross-compliance tables visit:

[www.carbonneutral.com/cross-compliance-tables](http://www.carbonneutral.com/cross-compliance-tables)



info@climateimpact.com  
Americas: +1 843 253 0447  
Europe: +44 (0)1865 591000  
[www.climateimpact.com](http://www.climateimpact.com)



[CarbonNeutral.com](http://CarbonNeutral.com)